

Manly Council

Minutes

Land Use Management Committee

Held at Council Chambers, 1 Belgrave Street Manly on:

Monday 4 February 2008

Copies of business papers are available at the Customer Services Counter at Manly Council, Manly Library and Seaforth Library and are available on Council's website:

www.manly.nsw.gov.au



TABLE OF CONTENTS

Item	Page No.
PRESENT	2
APOLOGIES.....	2
DECLARATIONS OF PECUNIARY / CONFLICT OF INTEREST	2
CONFIRMATION OF MINUTES.....	3
Land Use Management Committee - 3/12/2007	3
ENVIRONMENTAL SERVICES DIVISION.....	3
Environmental Services Division Report No. 1 7 Pine Street, Manly - DA403/07	3
Environmental Services Division Report No. 2 14 Camera Street, Manly - DA220/07.....	16
Environmental Services Division Report No. 3 19 Edgecliffe Esplanade, Seaforth - DA264/07	40
PLANNING AND STRATEGY DIVISION	51
Planning And Strategy Division Report No. 2 Nos. 17 and 1 Roseberry Street Balgowlah - Rezoning Application.....	51
ENVIRONMENTAL SERVICES DIVISION.....	52
Environmental Services Division Report No. 4 Development Applications being processed during February 2008.	52
Environmental Services Division Report No. 5 Appeals List for February 2008.....	52

TO THE MAYOR AND COUNCILLORS OF THE COUNCIL:

The Land Use Management Committee, having met at 7:52pm on Monday 4 February 2008, in the Council Chambers, Town Hall, Manly, to consider the various matters referred to it, now reports the decisions reached and the recommendations made which are stated hereunder.

The decisions taken and indicated by the prefix "Resolved" as distinct from "Recommendations" made to the Council, were taken pursuant to authority delegated to this Committee vide Minutes Number 535 of 19th September, 2005.

PRESENT

His Worship, The Mayor, Councillor Dr Peter Macdonald
Deputy Mayor, Councillor M Norek
Councillor B Aird
Councillor J Evans, Chairperson who presided
Councillor J Hay, AM
Councillor A Heasman
Councillor J Lambert, AM Deputy Chairperson
Councillor R Morrison (arrived at 7.59pm)
Councillor D Murphy
Councillor B Pedersen (arrived at 7.56pm)

ALSO PRESENT

Henry Wong, General Manager
David Stray, Manager Development Control
Liz Rich, Minute Taker

APOLOGIES

Apologies were tendered on behalf of Councillor Daley and Councillor Cant for non-attendance.

MOTION (Hay / Macdonald)

That the apologies received from Councillor Daley and Councillor Cant be accepted and leave be granted.

L1/08 RESOLVED: (Hay / Macdonald)

That the apologies received from Councillor Daley and Councillor Cant be accepted and leave be granted.

For the Resolution: Councillors Aird, Evans, Hay, Heasman, Lambert, Murphy, Norek and Macdonald

Against the Resolution: Nil.

Councillors Pedersen and Morrison were not in the Chamber when voting took place.

DECLARATIONS OF PECUNIARY / CONFLICT OF INTEREST

Nil

CONFIRMATION OF MINUTES**MOTION (Macdonald / Heasman)**

That copies of the Minutes of the Land Use Management Committee held on Monday, 03 December 2007, having been furnished to each member of the Council, such Minutes be taken as read and confirmed as a true record of proceedings of such meeting.

L2/08 **RESOLVED: (Macdonald / Heasman)**

That copies of the Minutes of the Land Use Management Committee held on Monday, 03 December 2007, having been furnished to each member of the Council, such Minutes be taken as read and confirmed as a true record of proceedings of such meeting.

For the Resolution: Councillors Aird, Evans, Hay, Heasman, Lambert, Murphy, Norek and Macdonald

Against the Resolution: Nil.

Councillors Pedersen and Morrison were not in the Chamber when voting took place.

SUSPENSION OF STANDING ORDERS (Evans / Macdonald)

That Standing Orders be suspended to consider items of public interest, being Environmental Services Division Report No.1, 7 Pine Street, Manly, Environmental Services Division Report No.2, 14 Camera Street, Manly and Environmental Services Division Report No.3, 19 Edgecliffe Esplanade, Seaforth.

L3/08 **RESOLVED: (Evans / Macdonald)**

That Standing Orders be suspended to consider items of public interest, being Environmental Services Division Report No.1, 7 Pine Street, Manly, Environmental Services Division Report No.2, 14 Camera Street, Manly and Environmental Services Division Report No.3, 19 Edgecliffe Esplanade, Seaforth.

For the Resolution: Councillors Aird, Evans, Hay, Heasman, Lambert, Murphy, Norek and Macdonald

Against the Resolution: Nil.

Councillor Pedersen entered the Chamber at 7.56pm.

Councillor Morrison entered the Chamber at 7.59pm.

ENVIRONMENTAL SERVICES DIVISION

Environmental Services Division Report No. 1

7 Pine Street, Manly - DA403/07 (DA403/07)

<u>Application Lodged:</u>	11 October 2007
<u>Applicant:</u>	Urbanesque Planning Pty Ltd
<u>Owner:</u>	The Proprietors of Strata Plan 72334
<u>Estimated Cost:</u>	\$48,000
<u>Zoning:</u>	Manly Local Environmental Plan, 1988 - Residential
<u>Surrounding Development:</u>	Mixed development
<u>Heritage:</u>	Listed as a Heritage Item – Manly Local Environmental Plan 1988 – Adjacent to Pittwater Road Heritage Conservation Area and other Heritage Items in vicinity (Manly Beach and

North Steyne Surf Club)

SUMMARY:

1. DEVELOPMENT CONSENT IS SOUGHT FOR INTERNAL ALTERATIONS AND REAR AWNING TO AN EXISTING TWO (2) STOREY DWELLING
2. THE APPLICATION WAS NOTIFIED TO NEARBY AND ADJOINING PROPERTY OWNERS WITH NO SUBMISSIONS RECEIVED.
3. DUE TO THE NATURE OF THE PROPOSAL THE APPLICATION WAS NOT REFERRED TO THE OCEAN BEACH PRECINCT COMMUNITY FORUM FOR COMMENT.
4. ON MERIT THE PROPOSAL IS CONSIDERED ACCEPTABLE GENERALLY COMPLYING WITH THE DEVELOPMENT CONTROL PLAN WITH NO ADVERSE AMENITY IMPACTS IDENTIFIED.
5. THE BUILDING IS HERITAGE LISTED AND COUNCIL'S HERITAGE ADVISOR HAS PUT FORWARD DETAILED CONDITIONS OF CONSENT IN ORDER TO RESPECT THE HERITAGE OF THE ITEM.
6. THE PROPOSAL WAS REFERRED TO COUNCIL'S DEVELOPMENT ASSESSMENT UNIT MEETING OF THE 15 JANUARY 2008 WITH A RECOMMENDATION FOR APPROVAL.
7. THIS DEVELOPMENT APPLICATION IS PRESENTED TO COUNCIL'S LAND USE MANAGEMENT COMMITTEE MEETING AT THE REQUEST OF COUNCILLOR MACDONALD.
8. A SITE INSPECTION IS RECOMMENDED.
9. THE APPLICATION IS RECOMMENDED FOR APPROVAL.

PUBLIC ADDRESSES

The following person addressed the meeting in relation to this item:

In Support of the Recommendation: Ms Gail Lynch, on behalf of the Applicant

SITE INSPECTIONS

A site inspection of DA403/07, 7 Pine Street, Manly, internal alterations and rear awning, was conducted by Councillors: B Aird, J Evans, J Hay, A Heasman, J Lambert, P Macdonald and D Murphy.

Recommendation: Discussions centred on Draft Conditions ANS01 to ANS04. It was recommended that Condition ANS02 be deleted and ANS03 reworded as follows:-

ANS03

The existing floorboards in the kitchen and lounge room adjacent to the courtyard are to be reused, plans being notated accordingly prior to the issue of the Construction Certificate,

The inspection party made No Recommendation in respect of draft Conditions ANS01 and ANS04

MOTION (Macdonald / Hay)

That Development Application No. 403/07 for internal alterations and rear awning to an existing two (2) storey dwelling at 7 Pine Street, Manly be approved subject to the following conditions.

DA1

This approval relates to drawing/plan Nos. 01A, 10A, 21A, 31A, and 32A by Ole Kjaer Builder/Construction Architect dated 9 July 2007 and received by Council 11 October 2007.

ANS01 – ANS04

Deleted

DA016

Pursuant to Section 97 of the Local Government Act, 1993, Council requires, prior to issue of the Construction Certificate, or commencement of any excavation and demolition works, payment of a Trust Fund Deposit of \$1,100. The deposit is required as security of compliance with Conditions of Consent, and as security against damage to Council property during works on the site.

Note: Should Council property adjoining the site be defective eg, cracked footpath, broken kerb etc., this shall be reported in writing to Council, at least 7 days prior to the commencement of any work on site.

Note: Where Council is not the principal certifying authority, refund of the trust fund deposit will also be dependent upon receipt of a final occupation certificate by the Principal Certifying Authority and infrastructure inspection by Council.

DA017

No obstruction shall be caused to pedestrian use of Council's footpath or vehicular use of any public roadway during construction.

DA343

Any adjustment to the public utility service is to be carried out in compliance with their standards and the full cost is to be borne by the applicant.

DA018

Details of the builder's name and licence number contracted to undertake the works shall be provided to Council/Accredited Certifier prior to issue of the Construction Certificate.

DA019

Insurance must be undertaken with the contracted builder in accordance with the Home Building Act, 1997. Evidence of Insurance together with the contracted builders name and licence number must be submitted to Council /Accredited Certifier prior to issue of the Construction Certificate.

DA021

Toilet facilities are to be provided at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 person or part of 20 persons employed at the site, by effecting either a permanent or temporary connection to the Sydney Water's sewerage system or by approved closets.

DA023

No person shall use or occupy the building or alteration which is the subject of this approval without the prior issue of an Occupation Certificate.

DA024

A sign must be erected on the subject site in a prominent position stating that unauthorised entry is prohibited and giving details of the name of the builder or the person responsible for the site and 24 hour contact details. The sign is to have dimensions of approximately 500mm x 400mm. Note: The sign is not required if the building on the site is to remain occupied during the course of the building works.

DA031

Consent given to build in close proximity to the allotment boundary is in no way to be construed as permission to build on or encroach over the allotment boundary. Your attention is directed to the provisions of the Dividing Fences Act which gives certain rights to adjoining owners, including use of the common boundary. In the absence of the structure standing well clear of the common boundary, it is recommended that you make yourself aware of your legal position which may involve a survey to identify the allotment boundary.

DA039

Four (4) certified copies of the Structural Engineer's details in respect of all reinforced concrete, structural steel support construction and any proposed retaining walls shall be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA040

Where any excavation extends below the level of the base of the footing of a building on an adjoining allotment of land, the person causing the excavation shall support the neighbouring building in accordance with the requirements of the Building Code of Australia.

DA044

The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material properly graded and drained and waterproofed in accordance with AS3740. Certification is to be provided to the Principal Certifying Authority from a licenced applicator prior to the fixing of any wall or floor tiles.

DA048

The implementation of adequate care during demolition/ excavation/ building/ construction to ensure that no damage is caused to any adjoining properties.

DA058

An adequate security fence, is to be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence is to be maintained in a state of good repair and condition until completion of the building project.

DA357

Four (4) copies of Architectural Drawings consistent with the development consent and associated specifications are to be submitted to Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA109

All demolition is to be carried out in accordance with AS2601-2001.

DA111

Asbestos cement sheeting must be removed in accordance with the requirements of the WorkCover Authority.

DA094

Stormwater drainage from the proposed addition/extension shall be disposed of to the existing drainage system. All work shall be carried out in accordance with Council standards and specifications for stormwater drainage. Work shall be completed prior to the issue of the Occupation Certificate.

DA121

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

DA126

An automatic fire detection and alarm system shall be installed in the proposed dwelling in accordance with the requirements of Part 3.7.2 of the Building Code of Australia 1996 - Housing Provisions.

DA230

No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.

DA261

A sediment/erosion control plan for the site shall be submitted for approval to the Council/Accredited Certifier prior to the issue of the Construction Certificate. Implementation of the scheme shall be completed prior to commencement of any works on the site and maintained until completion of the development.

DA269

A Construction Certificate Application is required to be submitted to and issued by the Council/Accredited Certifier prior to any building works being carried out on site.

DA270

Should you appoint Council as the Principal Certifying Authority (PCA) to undertake inspections during the course of construction then the following inspection/certification are required:

Silt control fences

Framework inspection

Wet area moisture barrier

Final inspection

The cost of these inspections by Council is \$920 (being \$230 per inspection inclusive of GST). Payment of the above amount is required prior to the first inspection. Inspection appointments can be made by contacting the Environmental Services Division on 9976 1414.

At least 24 hours notice should be given for a request for an inspection and submission of the relevant inspection card. Any additional inspection required as a result of incomplete works will incur a fee of \$110.

DA271

An Occupation Certificate is to be issued by the Principal Certifying Authority prior to occupation of the development.

DA332

The capacity and effectiveness of erosion and sediment control devices must be maintained to Council satisfaction at all times.

DA337

Building operations such as brickcutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.

DA340

The applicant and/or builder must prior to the commencement of work, install at the periphery of the site, measures to control sedimentation and the possible erosion of the land. The measures must include:-

- (i) siltation fencing;
- (ii) protection of the public stormwater system; and
- (iii) site entry construction to prevent vehicles that enter and leave the site from tracking loose material onto the adjoining public place.

DA289

Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public Holidays and Sundays. Non-offensive works where power operated plant is not used and including setting out, surveying, plumbing, electrical installation, tiling, internal timber or fibrous plaster fixing, glazing, cleaning down brickwork, painting, building or site cleaning by hand shovel and site landscaping, is permitted between the hours of 1.00pm to 4.00pm Saturdays. Note: That the Protection of the Environment Operations Act 1997 may preclude the operation of some equipment

on site during these permitted working hours.

DA285

Roof and framing including provision for tie downs, bracing and fixings are to be designed by a practising Structural Engineer. The Engineer is to specify appropriate wind category relating to the site terrain, house design and height of the structure, with details being submitted to the Principal Certifying Authority **prior to the commencement of framework.**

DA319

Details of the method of termite protection which will provide whole of building protection, inclusive of structural and nonstructural elements, shall be submitted to the Council/Accredited Certifier prior to issue of the Construction Certificate. Attention is drawn to the provisions of Australian Standard 3660.1 "Protection of Buildings from Subterranean Termites New Buildings" and to Council's Code for the "Protection of Buildings Against Termite Attack".

DA320

Prior to issue of the Occupation Certificate, a durable termite protection notice shall be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".

DA274

Payment of contributions in accordance with Section 94 of the Environmental Planning and Assessment Act, 1979, may be required for this development. If required the amount will be in accordance with Councils Section 94 Policy applicable at the time of payment prior to the issue of the Construction Certificate.

DA323

This approval shall expire if the development hereby permitted is not commenced within 2 years of the date hereof or any extension of such period which Council may allow in writing on an application made before such an expiry.

AMENDMENT (Lambert / Aird)

That Development Application No. 403/07 for internal alterations and rear awning to an existing two (2) storey dwelling at 7 Pine Street, Manly be approved subject to the following conditions.

DA1

This approval relates to drawing/plan Nos. 01A, 10A, 21A, 31A, and 32A by Ole Kjaer Builder/Construction Architect dated 9 July 2007 and received by Council 11 October 2007.

ANSO1

The nibs to the walls that are to be removed are to be a minimum of 110mm for interpretation purposes. The plans are to be noted accordingly prior to submission of the Construction Certificate.

ANSO2

Deleted

ANSO3

Deleted

ANSO4

The fireplace in the kitchen/lounge area to be exposed and evaluated for its heritage value and if of original significance, then conserved, and the plans to be amended accordingly prior to release of the Construction Certificate.

DA016

Pursuant to Section 97 of the Local Government Act, 1993, Council requires, prior to issue of the Construction Certificate, or commencement of any excavation and demolition works, payment of a Trust Fund Deposit of \$1,100. The deposit is required as security of compliance with Conditions of Consent, and as security against damage to Council property during works on the site.

Note: Should Council property adjoining the site be defective eg, cracked footpath, broken kerb etc., this shall be reported in writing to Council, at least 7 days prior to the commencement of any work on site.

Note: Where Council is not the principal certifying authority, refund of the trust fund deposit will also be dependent upon receipt of a final occupation certificate by the Principal Certifying Authority and infrastructure inspection by Council.

DA017

No obstruction shall be caused to pedestrian use of Council's footpath or vehicular use of any public roadway during construction.

DA343

Any adjustment to the public utility service is to be carried out in compliance with their standards and the full cost is to be borne by the applicant.

DA018

Details of the builder's name and licence number contracted to undertake the works shall be provided to Council/Accredited Certifier prior to issue of the Construction Certificate.

DA019

Insurance must be undertaken with the contracted builder in accordance with the Home Building Act, 1997. Evidence of Insurance together with the contracted builders name and licence number must be submitted to Council /Accredited Certifier prior to issue of the Construction Certificate.

DA021

Toilet facilities are to be provided at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 person or part of 20 persons employed at the site, by effecting either a permanent or temporary connection to the Sydney Water's sewerage system or by approved closets.

DA023

No person shall use or occupy the building or alteration which is the subject of this approval without the prior issue of an Occupation Certificate.

DA024

A sign must be erected on the subject site in a prominent position stating that unauthorised entry is prohibited and giving details of the name of the builder or the person responsible for the site and 24 hour contact details. The sign is to have dimensions of approximately 500mm x 400mm. Note: The sign is not required if the building on the site is to remain occupied during the course of the building works.

DA031

Consent given to build in close proximity to the allotment boundary is in no way to be construed as permission to build on or encroach over the allotment boundary. Your attention is directed to the provisions of the Dividing Fences Act which gives certain rights to adjoining owners, including use of the common boundary. In the absence of the structure standing well clear of the common boundary, it is recommended that you make yourself aware of your legal position which may involve a survey to identify the allotment boundary.

DA039

Four (4) certified copies of the Structural Engineer's details in respect of all reinforced concrete, structural steel support construction and any proposed retaining walls shall be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA040

Where any excavation extends below the level of the base of the footing of a building on an adjoining allotment of land, the person causing the excavation shall support the neighbouring building in accordance with the requirements of the Building Code of Australia.

DA044

The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material properly graded and drained and waterproofed in accordance with AS3740. Certification is to be provided to the Principal Certifying Authority from a licenced applicator prior to the fixing of any wall or floor tiles.

DA048

The implementation of adequate care during demolition/ excavation/ building/ construction to ensure that no damage is caused to any adjoining properties.

DA058

An adequate security fence, is to be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence is to be maintained in a state of good repair and condition until completion of the building project.

DA357

Four (4) copies of Architectural Drawings consistent with the development consent and associated specifications are to be submitted to Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA109

All demolition is to be carried out in accordance with AS2601-2001.

DA111

Asbestos cement sheeting must be removed in accordance with the requirements of the WorkCover Authority.

DA094

Stormwater drainage from the proposed addition/extension shall be disposed of to the existing drainage system. All work shall be carried out in accordance with Council standards and specifications for stormwater drainage. Work shall be completed prior to the issue of the Occupation Certificate.

DA121

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

DA126

An automatic fire detection and alarm system shall be installed in the proposed dwelling in accordance with the requirements of Part 3.7.2 of the Building Code of Australia 1996 - Housing Provisions.

DA230

No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.

DA261

A sediment/erosion control plan for the site shall be submitted for approval to the Council/Accredited Certifier prior to the issue of the Construction Certificate. Implementation of the scheme shall be completed prior to commencement of any works on the site and maintained until completion of the development.

DA269

A Construction Certificate Application is required to be submitted to and issued by the Council/Accredited Certifier prior to any building works being carried out on site.

DA270

Should you appoint Council as the Principal Certifying Authority (PCA) to undertake inspections during the course of construction then the following inspection/certification are required:

Silt control fences

Framework inspection

Wet area moisture barrier

Final inspection

The cost of these inspections by Council is \$920 (being \$230 per inspection inclusive of GST). Payment of the above amount is required prior to the first inspection. Inspection appointments can be made by contacting the Environmental Services Division on 9976 1414.

At least 24 hours notice should be given for a request for an inspection and submission of the relevant inspection card. Any additional inspection required as a result of incomplete works will incur a fee of \$110.

DA271

An Occupation Certificate is to be issued by the Principal Certifying Authority prior to occupation of the development.

DA332

The capacity and effectiveness of erosion and sediment control devices must be maintained to Council satisfaction at all times.

DA337

Building operations such as brickcutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.

DA340

The applicant and/or builder must prior to the commencement of work, install at the periphery of the site, measures to control sedimentation and the possible erosion of the land. The measures must include:-

- (i) siltation fencing;
- (ii) protection of the public stormwater system; and
- (iii) site entry construction to prevent vehicles that enter and leave the site from tracking loose material onto the adjoining public place.

DA289

Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public Holidays and Sundays. Non-offensive works where power operated plant is not used and including setting out, surveying, plumbing, electrical installation, tiling, internal timber or fibrous plaster fixing, glazing, cleaning down brickwork, painting, building or site cleaning by hand shovel and site landscaping, is permitted between the hours of 1.00pm to 4.00pm Saturdays. Note: That the Protection of the Environment Operations Act 1997 may preclude the operation of some equipment

on site during these permitted working hours.

DA285

Roof and framing including provision for tie downs, bracing and fixings are to be designed by a practising Structural Engineer. The Engineer is to specify appropriate wind category relating to the site terrain, house design and height of the structure, with details being submitted to the Principal Certifying Authority **prior to the commencement of framework.**

DA319

Details of the method of termite protection which will provide whole of building protection, inclusive of structural and nonstructural elements, shall be submitted to the Council/Accredited Certifier prior to issue of the Construction Certificate. Attention is drawn to the provisions of Australian Standard 3660.1 "Protection of Buildings from Subterranean Termites New Buildings" and to Council's Code for the "Protection of Buildings Against Termite Attack".

DA320

Prior to issue of the Occupation Certificate, a durable termite protection notice shall be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".

DA274

Payment of contributions in accordance with Section 94 of the Environmental Planning and Assessment Act, 1979, may be required for this development. If required the amount will be in accordance with Council's Section 94 Policy applicable at the time of payment prior to the issue of the Construction Certificate.

DA323

This approval shall expire if the development hereby permitted is not commenced within 2 years of the date hereof or any extension of such period which Council may allow in writing on an application made before such an expiry.

For the Amendment: Councillors Aird, Evans and Lambert

Against the Amendment: Councillors Hay, Heasman, Morrison, Murphy, Norek, Pedersen and Macdonald

The Amendment was declared **LOST** and the Motion was put.

L4/08 **RESOLVED: (Macdonald / Hay)**

That Development Application No. 403/07 for internal alterations and rear awning to an existing two (2) storey dwelling at 7 Pine Street, Manly be approved subject to the following conditions.

DA1

This approval relates to drawing/plan Nos. 01A, 10A, 21A, 31A, and 32A by Ole Kjaer Builder/Construction Architect dated 9 July 2007 and received by Council 11 October 2007.

ANS01 – ANSO4

Deleted

DA016

Pursuant to Section 97 of the Local Government Act, 1993, Council requires, prior to issue of the Construction Certificate, or commencement of any excavation and demolition works, payment of a Trust Fund Deposit of \$1,100. The deposit is required as security of compliance with Conditions of Consent, and as security against damage to Council property during works on the site.

Note: Should Council property adjoining the site be defective eg, cracked footpath, broken kerb

etc., this shall be reported in writing to Council, at least 7 days prior to the commencement of any work on site.

Note: Where Council is not the principal certifying authority, refund of the trust fund deposit will also be dependent upon receipt of a final occupation certificate by the Principal Certifying Authority and infrastructure inspection by Council.

DA017

No obstruction shall be caused to pedestrian use of Council's footpath or vehicular use of any public roadway during construction.

DA343

Any adjustment to the public utility service is to be carried out in compliance with their standards and the full cost is to be borne by the applicant.

DA018

Details of the builder's name and licence number contracted to undertake the works shall be provided to Council/Accredited Certifier prior to issue of the Construction Certificate.

DA019

Insurance must be undertaken with the contracted builder in accordance with the Home Building Act, 1997. Evidence of Insurance together with the contracted builders name and licence number must be submitted to Council /Accredited Certifier prior to issue of the Construction Certificate.

DA021

Toilet facilities are to be provided at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 person or part of 20 persons employed at the site, by effecting either a permanent or temporary connection to the Sydney Water's sewerage system or by approved closets.

DA023

No person shall use or occupy the building or alteration which is the subject of this approval without the prior issue of an Occupation Certificate.

DA024

A sign must be erected on the subject site in a prominent position stating that unauthorised entry is prohibited and giving details of the name of the builder or the person responsible for the site and 24 hour contact details. The sign is to have dimensions of approximately 500mm x 400mm. Note: The sign is not required if the building on the site is to remain occupied during the course of the building works.

DA031

Consent given to build in close proximity to the allotment boundary is in no way to be construed as permission to build on or encroach over the allotment boundary. Your attention is directed to the provisions of the Dividing Fences Act which gives certain rights to adjoining owners, including use of the common boundary. In the absence of the structure standing well clear of the common boundary, it is recommended that you make yourself aware of your legal position which may involve a survey to identify the allotment boundary.

DA039

Four (4) certified copies of the Structural Engineer's details in respect of all reinforced concrete, structural steel support construction and any proposed retaining walls shall be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA040

Where any excavation extends below the level of the base of the footing of a building on an adjoining allotment of land, the person causing the excavation shall support the neighbouring

building in accordance with the requirements of the Building Code of Australia.

DA044

The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material properly graded and drained and waterproofed in accordance with AS3740. Certification is to be provided to the Principal Certifying Authority from a licenced applicator prior to the fixing of any wall or floor tiles.

DA048

The implementation of adequate care during demolition/ excavation/ building/ construction to ensure that no damage is caused to any adjoining properties.

DA058

An adequate security fence, is to be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence is to be maintained in a state of good repair and condition until completion of the building project.

DA357

Four (4) copies of Architectural Drawings consistent with the development consent and associated specifications are to be submitted to Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA109

All demolition is to be carried out in accordance with AS2601-2001.

DA111

Asbestos cement sheeting must be removed in accordance with the requirements of the WorkCover Authority.

DA094

Stormwater drainage from the proposed addition/extension shall be disposed of to the existing drainage system. All work shall be carried out in accordance with Council standards and specifications for stormwater drainage. Work shall be completed prior to the issue of the Occupation Certificate.

DA121

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

DA126

An automatic fire detection and alarm system shall be installed in the proposed dwelling in accordance with the requirements of Part 3.7.2 of the Building Code of Australia 1996 - Housing Provisions.

DA230

No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.

DA261

A sediment/erosion control plan for the site shall be submitted for approval to the Council/Accredited Certifier prior to the issue of the Construction Certificate. Implementation of the scheme shall be completed prior to commencement of any works on the site and maintained until completion of the development.

DA269

A Construction Certificate Application is required to be submitted to and issued by the Council/Accredited Certifier prior to any building works being carried out on site.

DA270

Should you appoint Council as the Principal Certifying Authority (PCA) to undertake inspections during the course of construction then the following inspection/certification are required:

Silt control fences
Framework inspection
Wet area moisture barrier
Final inspection

The cost of these inspections by Council is \$920 (being \$230 per inspection inclusive of GST). Payment of the above amount is required prior to the first inspection. Inspection appointments can be made by contacting the Environmental Services Division on 9976 1414.

At least 24 hours notice should be given for a request for an inspection and submission of the relevant inspection card. Any additional inspection required as a result of incomplete works will incur a fee of \$110.

DA271

An Occupation Certificate is to be issued by the Principal Certifying Authority prior to occupation of the development.

DA332

The capacity and effectiveness of erosion and sediment control devices must be maintained to Council satisfaction at all times.

DA337

Building operations such as brickcutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.

DA340

The applicant and/or builder must prior to the commencement of work, install at the periphery of the site, measures to control sedimentation and the possible erosion of the land. The measures must include:-

- (i) siltation fencing;
- (ii) protection of the public stormwater system; and
- (iii) site entry construction to prevent vehicles that enter and leave the site from tracking loose material onto the adjoining public place.

DA289

Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public Holidays and Sundays. Non-offensive works where power operated plant is not used and including setting out, surveying, plumbing, electrical installation, tiling, internal timber or fibrous plaster fixing, glazing, cleaning down brickwork, painting, building or site cleaning by hand shovel and site landscaping, is permitted between the hours of 1.00pm to 4.00pm Saturdays. Note: That the Protection of the Environment Operations Act 1997 may preclude the operation of some equipment on site during these permitted working hours.

DA285

Roof and framing including provision for tie downs, bracing and fixings are to be designed by a practising Structural Engineer. The Engineer is to specify appropriate wind category relating to the site terrain, house design and height of the structure, with details being submitted to the Principal Certifying Authority **prior to the commencement of framework.**

DA319

Details of the method of termite protection which will provide whole of building protection, inclusive

of structural and nonstructural elements, shall be submitted to the Council/Accredited Certifier prior to issue of the Construction Certificate. Attention is drawn to the provisions of Australian Standard 3660.1 "Protection of Buildings from Subterranean Termites New Buildings" and to Council's Code for the "Protection of Buildings Against Termite Attack".

DA320

Prior to issue of the Occupation Certificate, a durable termite protection notice shall be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".

DA274

Payment of contributions in accordance with Section 94 of the Environmental Planning and Assessment Act, 1979, may be required for this development. If required the amount will be in accordance with Councils Section 94 Policy applicable at the time of payment prior to the issue of the Construction Certificate.

DA323

This approval shall expire if the development hereby permitted is not commenced within 2 years of the date hereof or any extension of such period which Council may allow in writing on an application made before such an expiry.

For the Resolution: Councillors Hay, Heasman, Morrison, Murphy, Norek, Pedersen and Macdonald

Against the Resolution: Councillors Aird, Evans and Lambert

Environmental Services Division Report No. 2

14 Camera Street, Manly - DA220/07 (DA220/07)

Application Lodged: 26 June 2007
Applicant: Mrs Linda Moon
Owner: Neil and Linda Moon
Estimated Cost: \$200,000
Zoning: Manly Local Environmental Plan, 1988 - Residential and within the Foreshore Scenic Protection Area
Surrounding Development: Dwelling houses and residential flat buildings
Heritage: The residence, stone wall and kerb are listed Items of the Environmental Heritage

SUMMARY:

1. DEVELOPMENT CONSENT IS SOUGHT FOR DEMOLITION OF THE EXISTING GARAGE AND ALTERATIONS AND ADDITIONS TO THE EXISTING DWELLING INCORPORATING EXCAVATION FOR A GARAGE, TERRACE, SWIMMING POOL, FENCING AND LANDSCAPING. THE DWELLING IS AN ITEM OF THE ENVIRONMENTAL HERITAGE.
2. THE APPLICATION WAS NOTIFIED TO ADJOINING AND NEIGHBOURING PROPERTIES AND TWO SUBMISSIONS WERE RECEIVED. FOLLOWING THE CLOSURE OF THE NOTIFICATION PERIOD, THREE ADDITIONAL SUBMISSIONS WERE RECEIVED.
3. THE APPLICATION WAS REFERRED TO THE FAIRLIGHT PRECINCT COMMUNITY FORUM AND COMMENTS RECEIVED.
4. THE APPLICATION WAS REFERRED TO COUNCIL'S HERITAGE ADVISOR AND THE DA SUB-COMMITTEE OF THE HERITAGE COMMITTEE AND COMMENTS RECEIVED.
5. KEY ASPECTS OF THE PROPOSAL ARE ANTICIPATED TO IMPACT ON THE

- SIGNIFICANCE OF THE HERITAGE LISTED ITEM AND ITS SETTING.
6. THIS PROPOSAL WAS REFERRED TO COUNCIL'S DEVELOPMENT ASSESSMENT UNIT MEETING OF THE 22 NOVEMBER 2007 WITH A RECOMMENDATION FOR REFUSAL THE RECOMMENDATION WAS SUPPORTED.
 7. THE APPLICANT REQUESTED BY LETTER DATED 26 NOVEMBER 2007 THAT THE APPLICATION BE DEFERRED TO UNDERTAKE DESIGN CHANGES TO ADDRESS THE ISSUES RAISED WITHIN THE REPORT HOWEVER NO DESIGN CHANGES HAVE BEEN RECEIVED.
 8. THIS DEVELOPMENT APPLICATION IS PRESENTED TO COUNCIL'S LAND USE MANAGEMENT COMMITTEE MEETING AT THE REQUEST OF COUNCILLOR MACDONALD.
 9. A SITE INSPECTION IS RECOMMENDED.
 10. THE APPLICATION IS RECOMMENDED FOR REFUSAL.

PUBLIC ADDRESSES

The following persons addressed the meeting in relation to this item:

Against the Recommendation: Mrs Alison Wakefield

In Support of the Recommendation: Mr Neil Moon, Applicant

SITE INSPECTIONS

A site inspection of DA220/07, 14 Camera Street, Manly - demolition of existing garage and additions and alterations to existing dwelling incorporating excavation for a garage, terrace, swimming pool, fencing and landscaping. The dwelling is an item of the environmental heritage, was conducted by Councillors: B Aird, J Evans, J Hay, A Heasman, J Lambert, P Macdonald, R Morrison and D Murphy.

Recommendation: No Recommendation

MOTION (Macdonald / Lambert)

That Development Application No. 227/07 for demolition of existing garage and alterations and additions to an existing dwelling incorporating excavation for a garage, terrace, swimming pool, fencing and landscaping at 14 Camera Street Manly be **APPROVED** subject to standard conditions and non standard Conditions as follows:-

DA1

This approval relates to drawings/plans Nos. 01 – 10 dated 1 June 2006 and received by Council on the 26 June 2007 and LPDA 08-44/1 and 44/2 dated July 2007 and received by Council on the 14 August 2007.

ANS01

The proposed French doors leading off the living room are not approved and are to be deleted, the existing bay window to be retained.

ANS02

The proposed terrace above the garage is to be lowered by 450mm.

ANS03

The eastern window to the kitchen is to be opaque glass and fixed, with ventilation derived from the sky-light.

ANS04

Submit to Council for approval prior to the issue of the Construction Certificate the colour swatches

for the repainting of external finishes and identify their location on the elevations of the dwelling.

DA009

The construction of a vehicular footpath crossing is required. The design and construction including allowable width shall be in accordance with the current Policy of Council and Specification for the Construction of Vehicle Crossings. All works shall be carried out prior to the issue of Occupation Certificate.

DA010

Separate application to Council for the construction of a Vehicular Crossing for the design, specification and inspection by Council. The design and construction including allowable width shall be in accordance with the current Policy of Council and Specification for the Construction of Vehicle Crossings. Applications shall be made a minimum of twenty-eight (28) days prior to commencement of proposed works on Council's property.

DA011

All surplus vehicular crossings and/or kerb laybacks shall be removed and the kerb and nature strip reinstated prior to issue of the Occupation Certificate.

DA012

The driveway/access ramp grades, access and car parking facilities shall comply with the Australian Standard for Off-Street Parking AS2890.1-2004 or later editions.

DA013

A long section of the driveway shall be submitted with the Construction Certificate Application. The long section is to be drawn at a scale of 1:20 and shall include measured lengths and Relative Levels (RL) of the road centreline, kerb, road reserve, pavement within property and garage floor. The RLs shall include the existing levels and the designed levels.

DA014

No portion of the proposed building or works, including gates and doors during opening and closing operations are to encroach upon any road reserve or other public land.

DA016

Pursuant to Section 97 of the Local Government Act, 1993, Council requires, prior to issue of the Construction Certificate, or commencement of any excavation and demolition works, payment of a Trust Fund Deposit of \$5,000. The deposit is required as security of compliance with Conditions of Consent, and as security against damage to Council property during works on the site.

Note: Should Council property adjoining the site be defective eg, cracked footpath, broken kerb etc., this shall be reported in writing to Council, at least 7 days prior to the commencement of any work on site.

Note: Where Council is not the principal certifying authority, refund of the trust fund deposit will also be dependent upon receipt of a final occupation certificate by the Principal Certifying Authority and infrastructure inspection by Council.

DA017

No obstruction shall be caused to pedestrian use of Council's footpath or vehicular use of any public roadway during construction.

DA341

Any heritage listed stone kerb removed for construction of a driveway or other approved works, is to be removed without damaging it and contact is to be made with Councils Works Manager on Telephone 9976 1455 for the stone to be transported to Councils Depot.

DA342

Separate application shall be made to Council's Infrastructure Division for approval to complete, to Council's standards and specifications, works on Council property. This shall include vehicular crossings, footpaths, drainage works, kerb and guttering, brick paving, restorations and any miscellaneous works. Applications shall be made a minimum of twenty-eight (28) days prior to commencement of proposed works on Council's property. Applicant to notify Council at least 48 hrs before commencement of works to allow Council to supervise/inspect works.

DA343

Any adjustment to the public utility service is to be carried out in compliance with their standards and the full cost is to be borne by the applicant.

DA018

Details of the builder's name and licence number contracted to undertake the works shall be provided to Council/Accredited Certifier prior to issue of the Construction Certificate.

DA019

Insurance must be undertaken with the contracted builder in accordance with the Home Building Act, 1997. Evidence of Insurance together with the contracted builders name and licence number must be submitted to Council /Accredited Certifier prior to issue of the Construction Certificate.

DA021

Toilet facilities are to be provided at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 person or part of 20 persons employed at the site, by effecting either a permanent or temporary connection to the Sydney Water's sewerage system or by approved closets.

DA022

Retaining walls being constructed in conjunction with excavations with such work being in accordance with structural engineer's details. Certification of compliance with the structural detail during construction shall be submitted to the Principal Certifying Authority.

DA023

No person shall use or occupy the building or alteration which is the subject of this approval without the prior issue of an Occupation Certificate.

DA024

A sign must be erected on the subject site in a prominent position stating that unauthorised entry is prohibited and giving details of the name of the builder or the person responsible for the site and 24 hour contact details. The sign is to have dimensions of approximately 500mm x 400mm. Note: The sign is not required if the building on the site is to remain occupied during the course of the building works.

DA031

Consent given to build in close proximity to the allotment boundary is in no way to be construed as permission to build on or encroach over the allotment boundary. Your attention is directed to the provisions of the Dividing Fences Act which gives certain rights to adjoining owners, including use of the common boundary. In the absence of the structure standing well clear of the common boundary, it is recommended that you make yourself aware of your legal position which may involve a survey to identify the allotment boundary.

DA039

Four (4) certified copies of the Structural Engineer's details in respect of all reinforced concrete, structural steel support construction and any proposed retaining walls shall be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA040

Where any excavation extends below the level of the base of the footing of a building on an adjoining allotment of land, the person causing the excavation shall support the neighbouring building in accordance with the requirements of the Building Code of Australia.

DA044

The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material properly graded and drained and waterproofed in accordance with AS3740. Certification is to be provided to the Principal Certifying Authority from a licenced applicator prior to the fixing of any wall or floor tiles.

DA047

A suitable sub-surface drainage system being provided adjacent to all excavated areas and such drains being connected to an approved disposal system.

DA048

The implementation of adequate care during demolition/ excavation/ building/ construction to ensure that no damage is caused to any adjoining properties.

DA058

An adequate security fence, is to be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence is to be maintained in a state of good repair and condition until completion of the building project.

DA357

Four (4) copies of Architectural Drawings consistent with the development consent and associated specifications are to be submitted to Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA109

All demolition is to be carried out in accordance with AS2601-2001.

DA111

Asbestos cement sheeting must be removed in accordance with the requirements of the WorkCover Authority.

DA087

A detailed stormwater management plan shall be prepared to fully comply with Council's "Specification for on-site Stormwater Management 2003" and shall be submitted with the Construction Certificate application. The stormwater management plan shall be prepared by a suitably qualified Engineer. The principal Council/Accredited Certifier shall ensure that the design complies with the above said specification prior to the issue of a Construction Certificate

DA121

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

DA126

An automatic fire detection and alarm system shall be installed in the proposed dwelling in accordance with the requirements of Part 3.7.2 of the Building Code of Australia 1996 - Housing Provisions.

DA230

No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.

DA236

Landscaping is to be carried out in accordance with the approved Landscape Plan submitted in conjunction with the Development Application. Evidence of an agreement for the maintenance of all plants for a period of 12 months from the date of practical completion of the building is to be provided to the Principal Certifying Authority prior to issue of the Final Occupation Certificate.

DA237

All healthy trees and shrubs identified for retention on the plan must be:

- (i) Suitably marked before any development starts and be suitably protected from damage during the construction process; and
- (ii) Retained unless their location or condition is likely to cause damage and their removal has been approved by Council.

DA238

All disturbed surfaces on the land resulting from the building works authorised by this approval shall be revegetated and stabilised so as to prevent any erosion either on or adjacent to the land.

DA239

The felling, lopping, topping, ringbarking, wilful destruction or removal of any tree or trees unless in conformity with this approval or subsequent approval is prohibited.

DA240

No tree other than on land identified for the construction of buildings and works as shown on the building plan shall be felled, lopped, topped, ringbarked or otherwise wilfully destroyed or removed without the approval of Council.

DA348

Precautions shall be taken when working near trees to be retained including the following: - do not store harmful or bulk materials or spoil under or near trees - prevent damage to bark and root system - do not use mechanical methods to excavate within root zones - do not add or remove topsoil from under the drip line - do not compact ground under the drip line.

DA261

A sediment/erosion control plan for the site shall be submitted for approval to the Council/Accredited Certifier **prior to the issue of the Construction Certificate**. Implementation of the scheme shall be completed prior to commencement of any works on the site and maintained until completion of the development.

DA269

A Construction Certificate Application is required to be submitted to and issued by the Council/Accredited Certifier prior to any building works being carried out on site.

DA270

Should you appoint Council as the Principal Certifying Authority (PCA) to undertake inspections during the course of construction then the following inspection/certification are required:

Silt control fences

Footing inspection - trench and steel

Reinforced concrete slab X 2

Framework inspection

Wet area moisture barrier

Drainage inspection

Swimming pool reinforcing steel inspection

Swimming pool safety fence inspection

Final inspection

The cost of these inspections by Council is \$2,300 (being \$230 per inspection inclusive of GST).

Payment of the above amount is required prior to the first inspection. Inspection appointments can be made by contacting the Environmental Services Division on 9976 1414.

At least 24 hours notice should be given for a request for an inspection and submission of the relevant inspection card. Any additional inspection required as a result of incomplete works will incur a fee of \$110.

DA271

An Occupation Certificate is to be issued by the Principal Certifying Authority prior to occupation of the development.

DA279

All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.

DA283

De-watering from the excavation or construction site must comply with the Protection of the Environment Operations Act 1997 and the following:

- a) Ground water or other water to be pumped from the site into Council's stormwater system must be sampled and analysed by a NATA certified laboratory or Manly Council for compliance with ANZECC Water Quality Guidelines
- b) If tested by NATA certified laboratory, the certificate of analysis issued by the laboratory must be forwarded to Manly Council as the appropriate regulatory authority under the Protection of the Environment Operations Act 1997, prior to the commencement of de-watering activities.
- c) Council will grant approval to commence site de-watering to the stormwater based on the water quality results received.
- d) It is the responsibility of the applicant to ensure that during de-watering activities, the capacity of the stormwater system is not exceeded, that there are no issues associated with erosion or scouring due to the volume of water pumped.
- e) Turbidity readings must not at any time exceed the ANZECC recommended 50ppm (parts per million) for receiving waters.
- f) Also the developer must contact the Department of Infrastructure, Planning and Natural Resources and comply with any of their requirements.

DA332

The capacity and effectiveness of erosion and sediment control devices must be maintained to Council satisfaction at all times.

DA333

A copy of the Soil and Water Management Plan must be kept on-site at all times and made available to Council officers on request.

DA334

Stockpiles are not permitted to be stored on Council property (including nature strip) unless prior approval has been granted.

DA335

Stockpiles of topsoil, sand, aggregate, spoil or other material shall be stored clear of any drainage line or easement, natural watercourse, kerb or road surface.

DA336

Drains, gutters, roadways and access ways shall be maintained free of sediment and to the satisfaction of Council. Where required, gutters and roadways shall be swept regularly to maintain them free from sediment.

DA337

Building operations such as brickcutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.

DA338

All disturbed areas shall be stabilised against erosion to Council satisfaction within 14 days of completion, and prior to removal of sediment controls.

DA339

Stormwater from roof areas shall be linked via a temporary downpipe to a Council approved stormwater disposal system immediately after completion of the roof area. Inspection of the building frame will not be made until this is completed to Council satisfaction.

DA340

The applicant and/or builder must prior to the commencement of work, install at the periphery of the site, measures to control sedimentation and the possible erosion of the land. The measures must include:-

- (i) siltation fencing;
- (ii) protection of the public stormwater system; and
- (iii) site entry construction to prevent vehicles that enter and leave the site from tracking loose material onto the adjoining public place.

DA289

Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public Holidays and Sundays. Non-offensive works where power operated plant is not used and including setting out, surveying, plumbing, electrical installation, tiling, internal timber or fibrous plaster fixing, glazing, cleaning down brickwork, painting, building or site cleaning by hand shovel and site landscaping, is permitted between the hours of 1.00pm to 4.00pm Saturdays. Note: That the Protection of the Environment Operations Act 1997 may preclude the operation of some equipment on site during these permitted working hours.

DA300

All waste waters and overflow waters from any swimming pool shall be disposed of to the sewer in accordance with the requirements of Sydney Water.

DA301

The filter pump and motor shall be suitably housed and located as to reduce the possibility of noise nuisance to adjoining or nearby residents.

DA302

An approved Resuscitation Notice is to be erected in a prominent position in the immediate vicinity of the swimming pool and kept current at all times.

DA303

The swimming pool is to be surrounded by a child-resistant barrier in accordance with the swimming Pools Act and Regulations 1992 which: (a) separates the swimming pool from any residential building situated on the property and from any place adjoining the property; and (b) is designed, constructed, installed and maintained in accordance with the standards prescribed by the Regulations and appropriate Australian Standard.

DA306

All surface waters from areas surrounding the swimming pool shall be collected and disposed of to the stormwater system.

DA314

All protective fencing and gates are to be in accordance with Australian Standard 1926 prior to the pool being filled with water. The fence is to be a minimum of 1200mm in height and posts and/or supports are to be firmly fixed or encased in such a way that the posts/support are unable to be removed easily. The fence is not to be removed or altered at any time without the express approval of Council having been obtained beforehand.

DA315

The proposed pool gates are to be mounted so that:- (i) They are clear of any obstruction that could hold the gate open; (ii) When lifted upward or pulled downward, movement of the gate does not release the latching device, unhinge the gate or provide a ground clearance greater than 100mm; and (iii) They open outwards from the pool.

DA316

Where the latching device release, or the latch itself, on a pool gate is located at a height less than 1500mm above the finished ground level, the latch and its release shall be shielded in accordance with Australian Standard 1926.

DA318

There is to be no noise emitted from any process carried on within the premises that will register more than 5 decibels above the background noise at any point more than 3m outside the premises.

DA319

Details of the method of termite protection which will provide whole of building protection, inclusive of structural and nonstructural elements, shall be submitted to the Council/Accredited Certifier prior to issue of the Construction Certificate. Attention is drawn to the provisions of Australian Standard 3660.1 "Protection of Buildings from Subterranean Termites New Buildings" and to Council's Code for the "Protection of Buildings Against Termite Attack".

DA320

Prior to issue of the Occupation Certificate, a durable termite protection notice shall be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".

DA274

Payment of contributions in accordance with Section 94 of the Environmental Planning and Assessment Act, 1979, may be required for this development. If required the amount will be in accordance with Council's Section 94 Policy applicable at the time of payment prior to the issue of the Construction Certificate.

DA323

This approval shall expire if the development hereby permitted is not commenced within 2 years of the date hereof or any extension of such period which Council may allow in writing on an application made before such an expiry.

Reasons for going against staff recommendations:

1. New garage is not inconsistent with the previous approval
2. Demolition of existing garage will improve backyard amenity and improve streetscape for James Street
3. Internal change will improve amenity and have no effect on heritage listing
4. Conditions address the privacy issues.

AMENDMENT (Norek / Morrison)

That Development Application No. 227/07 for demolition of existing garage and alterations and additions to an existing dwelling incorporating excavation for a garage, terrace, swimming pool, fencing and landscaping at 14 Camera Street Manly be **APPROVED** subject to standard conditions and non standard Conditions as follows:-

DA1

This approval relates to drawings/plans Nos. 01 – 10 dated 1 June 2006 and received by Council on the 26 June 2007 and LPDA 08-44/1 and 44/2 dated July 2007 and received by Council on the 14 August 2007.

ANS01

The proposed French doors leading off the living room are not approved and are to be deleted, the existing bay window to be retained.

ANS02

The proposed terrace above the garage is to be kept at its original level.

ANS03

The eastern window to the kitchen is to be opaque glass and fixed, with ventilation derived from the sky-light.

ANS04

Submit to Council for approval prior to the issue of the Construction Certificate the colour swatches for the repainting of external finishes and identify their location on the elevations of the dwelling.

DA009

The construction of a vehicular footpath crossing is required. The design and construction including allowable width shall be in accordance with the current Policy of Council and Specification for the Construction of Vehicle Crossings. All works shall be carried out prior to the issue of Occupation Certificate.

DA010

Separate application to Council for the construction of a Vehicular Crossing for the design, specification and inspection by Council. The design and construction including allowable width shall be in accordance with the current Policy of Council and Specification for the Construction of Vehicle Crossings. Applications shall be made a minimum of twenty-eight (28) days prior to commencement of proposed works on Council's property.

DA011

All surplus vehicular crossings and/or kerb laybacks shall be removed and the kerb and nature strip reinstated prior to issue of the Occupation Certificate.

DA012

The driveway/access ramp grades, access and car parking facilities shall comply with the Australian Standard for Off-Street Parking AS2890.1-2004 or later editions.

DA013

A long section of the driveway shall be submitted with the Construction Certificate Application. The long section is to be drawn at a scale of 1:20 and shall include measured lengths and Relative Levels (RL) of the road centreline, kerb, road reserve, pavement within property and garage floor. The RLs shall include the existing levels and the designed levels.

DA014

No portion of the proposed building or works, including gates and doors during opening and closing operations are to encroach upon any road reserve or other public land.

DA016

Pursuant to Section 97 of the Local Government Act, 1993, Council requires, prior to issue of the Construction Certificate, or commencement of any excavation and demolition works, payment of a Trust Fund Deposit of \$5,000. The deposit is required as security of compliance with Conditions of Consent, and as security against damage to Council property during works on the site.

Note: Should Council property adjoining the site be defective eg, cracked footpath, broken kerb etc., this shall be reported in writing to Council, at least 7 days prior to the commencement of any work on site.

Note: Where Council is not the principal certifying authority, refund of the trust fund deposit will also be dependent upon receipt of a final occupation certificate by the Principal Certifying Authority and infrastructure inspection by Council.

DA017

No obstruction shall be caused to pedestrian use of Council's footpath or vehicular use of any public roadway during construction.

DA341

Any heritage listed stone kerb removed for construction of a driveway or other approved works, is to be removed without damaging it and contact is to be made with Councils Works Manager on Telephone 9976 1455 for the stone to be transported to Councils Depot.

DA342

Separate application shall be made to Council's Infrastructure Division for approval to complete, to Council's standards and specifications, works on Council property. This shall include vehicular crossings, footpaths, drainage works, kerb and guttering, brick paving, restorations and any miscellaneous works. Applications shall be made a minimum of twenty-eight (28) days prior to commencement of proposed works on Council's property. Applicant to notify Council at least 48 hrs before commencement of works to allow Council to supervise/inspect works.

DA343

Any adjustment to the public utility service is to be carried out in compliance with their standards and the full cost is to be borne by the applicant.

DA018

Details of the builder's name and licence number contracted to undertake the works shall be provided to Council/Accredited Certifier prior to issue of the Construction Certificate.

DA019

Insurance must be undertaken with the contracted builder in accordance with the Home Building Act, 1997. Evidence of Insurance together with the contracted builders name and licence number must be submitted to Council /Accredited Certifier prior to issue of the Construction Certificate.

DA021

Toilet facilities are to be provided at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 person or part of 20 persons employed at the site, by effecting either a permanent or temporary connection to the Sydney Water's sewerage system or by approved closets.

DA022

Retaining walls being constructed in conjunction with excavations with such work being in accordance with structural engineer's details. Certification of compliance with the structural detail during construction shall be submitted to the Principal Certifying Authority.

DA023

No person shall use or occupy the building or alteration which is the subject of this approval

without the prior issue of an Occupation Certificate.

DA024

A sign must be erected on the subject site in a prominent position stating that unauthorised entry is prohibited and giving details of the name of the builder or the person responsible for the site and 24 hour contact details. The sign is to have dimensions of approximately 500mm x 400mm. Note: The sign is not required if the building on the site is to remain occupied during the course of the building works.

DA031

Consent given to build in close proximity to the allotment boundary is in no way to be construed as permission to build on or encroach over the allotment boundary. Your attention is directed to the provisions of the Dividing Fences Act which gives certain rights to adjoining owners, including use of the common boundary. In the absence of the structure standing well clear of the common boundary, it is recommended that you make yourself aware of your legal position which may involve a survey to identify the allotment boundary.

DA039

Four (4) certified copies of the Structural Engineer's details in respect of all reinforced concrete, structural steel support construction and any proposed retaining walls shall be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA040

Where any excavation extends below the level of the base of the footing of a building on an adjoining allotment of land, the person causing the excavation shall support the neighbouring building in accordance with the requirements of the Building Code of Australia.

DA044

The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material properly graded and drained and waterproofed in accordance with AS3740. Certification is to be provided to the Principal Certifying Authority from a licenced applicator prior to the fixing of any wall or floor tiles.

DA047

A suitable sub-surface drainage system being provided adjacent to all excavated areas and such drains being connected to an approved disposal system.

DA048

The implementation of adequate care during demolition/ excavation/ building/ construction to ensure that no damage is caused to any adjoining properties.

DA058

An adequate security fence, is to be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence is to be maintained in a state of good repair and condition until completion of the building project.

DA357

Four (4) copies of Architectural Drawings consistent with the development consent and associated specifications are to be submitted to Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA109

All demolition is to be carried out in accordance with AS2601-2001.

DA111

Asbestos cement sheeting must be removed in accordance with the requirements of the WorkCover Authority.

DA087

A detailed stormwater management plan shall be prepared to fully comply with Council's "Specification for on-site Stormwater Management 2003" and shall be submitted with the Construction Certificate application. The stormwater management plan shall be prepared by a suitably qualified Engineer. The principal Council/Accredited Certifier shall ensure that the design complies with the above said specification prior to the issue of a Construction Certificate

DA121

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

DA126

An automatic fire detection and alarm system shall be installed in the proposed dwelling in accordance with the requirements of Part 3.7.2 of the Building Code of Australia 1996 - Housing Provisions.

DA230

No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.

DA236

Landscaping is to be carried out in accordance with the approved Landscape Plan submitted in conjunction with the Development Application. Evidence of an agreement for the maintenance of all plants for a period of 12 months from the date of practical completion of the building is to be provided to the Principal Certifying Authority prior to issue of the Final Occupation Certificate.

DA237

All healthy trees and shrubs identified for retention on the plan must be:

- (iii) Suitably marked before any development starts and be suitably protected from damage during the construction process; and
- (iv) Retained unless their location or condition is likely to cause damage and their removal has been approved by Council.

DA238

All disturbed surfaces on the land resulting from the building works authorised by this approval shall be revegetated and stabilised so as to prevent any erosion either on or adjacent to the land.

DA239

The felling, lopping, topping, ringbarking, wilful destruction or removal of any tree or trees unless in conformity with this approval or subsequent approval is prohibited.

DA240

No tree other than on land identified for the construction of buildings and works as shown on the building plan shall be felled, lopped, topped, ringbarked or otherwise wilfully destroyed or removed without the approval of Council.

DA348

Precautions shall be taken when working near trees to be retained including the following: - do not store harmful or bulk materials or spoil under or near trees - prevent damage to bark and root system - do not use mechanical methods to excavate within root zones - do not add or remove topsoil from under the drip line - do not compact ground under the drip line.

DA261

A sediment/erosion control plan for the site shall be submitted for approval to the Council/Accredited Certifier **prior to the issue of the Construction Certificate**. Implementation of the scheme shall be completed prior to commencement of any works on the site and maintained until completion of the development.

DA269

A Construction Certificate Application is required to be submitted to and issued by the Council/Accredited Certifier prior to any building works being carried out on site.

DA270

Should you appoint Council as the Principal Certifying Authority (PCA) to undertake inspections during the course of construction then the following inspection/certification are required:

Silt control fences

Footing inspection - trench and steel

Reinforced concrete slab X 2

Framework inspection

Wet area moisture barrier

Drainage inspection

Swimming pool reinforcing steel inspection

Swimming pool safety fence inspection

Final inspection

The cost of these inspections by Council is \$2,300 (being \$230 per inspection inclusive of GST).

Payment of the above amount is required prior to the first inspection. Inspection appointments can be made by contacting the Environmental Services Division on 9976 1414.

At least 24 hours notice should be given for a request for an inspection and submission of the relevant inspection card. Any additional inspection required as a result of incomplete works will incur a fee of \$110.

DA271

An Occupation Certificate is to be issued by the Principal Certifying Authority prior to occupation of the development.

DA279

All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.

DA283

De-watering from the excavation or construction site must comply with the Protection of the Environment Operations Act 1997 and the following:

- a) Ground water or other water to be pumped from the site into Council's stormwater system must be sampled and analysed by a NATA certified laboratory or Manly council for compliance with ANZECC Water Quality Guidelines
- b) If tested by NATA certified laboratory, the certificate of analysis issued by the laboratory must be forwarded to Manly Council as the appropriate regulatory authority under the Protection of the Environment Operations Act 1997, prior to the commencement of de-watering activities.
- c) Council will grant approval to commence site de-watering to the stormwater based on the water quality results received.
- d) It is the responsibility of the applicant to ensure that during de-watering activities, the capacity of the stormwater system is not exceeded, that there are no issues associated with erosion or scouring due to the volume of water pumped.
- e) Turbidity readings must not at any time exceed the ANZECC recommended 50ppm (parts per million) for receiving waters.
- f) Also the developer must contact the Department of Infrastructure, Planning and Natural

Resources and comply with any of their requirements.

DA332

The capacity and effectiveness of erosion and sediment control devices must be maintained to Council satisfaction at all times.

DA333

A copy of the Soil and Water Management Plan must be kept on-site at all times and made available to Council officers on request.

DA334

Stockpiles are not permitted to be stored on Council property (including nature strip) unless prior approval has been granted.

DA335

Stockpiles of topsoil, sand, aggregate, spoil or other material shall be stored clear of any drainage line or easement, natural watercourse, kerb or road surface.

DA336

Drains, gutters, roadways and access ways shall be maintained free of sediment and to the satisfaction of Council. Where required, gutters and roadways shall be swept regularly to maintain them free from sediment.

DA337

Building operations such as brickcutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.

DA338

All disturbed areas shall be stabilised against erosion to Council satisfaction within 14 days of completion, and prior to removal of sediment controls.

DA339

Stormwater from roof areas shall be linked via a temporary downpipe to a Council approved stormwater disposal system immediately after completion of the roof area. Inspection of the building frame will not be made until this is completed to Council satisfaction.

DA340

The applicant and/or builder must prior to the commencement of work, install at the periphery of the site, measures to control sedimentation and the possible erosion of the land. The measures must include:-

- (iv) siltation fencing;
- (v) protection of the public stormwater system; and
- (vi) site entry construction to prevent vehicles that enter and leave the site from tracking loose material onto the adjoining public place.

DA289

Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public Holidays and Sundays. Non-offensive works where power operated plant is not used and including setting out, surveying, plumbing, electrical installation, tiling, internal timber or fibrous plaster fixing, glazing, cleaning down brickwork, painting, building or site cleaning by hand shovel and site landscaping, is permitted between the hours of 1.00pm to 4.00pm Saturdays. Note: That the Protection of the Environment Operations Act 1997 may preclude the operation of some equipment on site during these permitted working hours.

DA300

All waste waters and overflow waters from any swimming pool shall be disposed of to the sewer in accordance with the requirements of Sydney Water.

DA301

The filter pump and motor shall be suitably housed and located as to reduce the possibility of noise nuisance to adjoining or nearby residents.

DA302

An approved Resuscitation Notice is to be erected in a prominent position in the immediate vicinity of the swimming pool and kept current at all times.

DA303

The swimming pool is to be surrounded by a child-resistant barrier in accordance with the swimming Pools Act and Regulations 1992 which: (a) separates the swimming pool from any residential building situated on the property and from any place adjoining the property; and (b) is designed, constructed, installed and maintained in accordance with the standards prescribed by the Regulations and appropriate Australian Standard.

DA306

All surface waters from areas surrounding the swimming pool shall be collected and disposed of to the stormwater system.

DA314

All protective fencing and gates are to be in accordance with Australian Standard 1926 prior to the pool being filled with water. The fence is to be a minimum of 1200mm in height and posts and/or supports are to be firmly fixed or encased in such a way that the posts/support are unable to be removed easily. The fence is not to be removed or altered at any time without the express approval of Council having been obtained beforehand.

DA315

The proposed pool gates are to be mounted so that:- (i) They are clear of any obstruction that could hold the gate open; (ii) When lifted upward or pulled downward, movement of the gate does not release the latching device, unhinge the gate or provide a ground clearance greater than 100mm; and (iii) They open outwards from the pool.

DA316

Where the latching device release, or the latch itself, on a pool gate is located at a height less than 1500mm above the finished ground level, the latch and its release shall be shielded in accordance with Australian Standard 1926.

DA318

There is to be no noise emitted from any process carried on within the premises that will register more than 5 decibels above the background noise at any point more than 3m outside the premises.

DA319

Details of the method of termite protection which will provide whole of building protection, inclusive of structural and nonstructural elements, shall be submitted to the Council/Accredited Certifier prior to issue of the Construction Certificate. Attention is drawn to the provisions of Australian Standard 3660.1 "Protection of Buildings from Subterranean Termites New Buildings" and to Council's Code for the "Protection of Buildings Against Termite Attack".

DA320

Prior to issue of the Occupation Certificate, a durable termite protection notice shall be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".

DA274

Payment of contributions in accordance with Section 94 of the Environmental Planning and Assessment Act, 1979, may be required for this development. If required the amount will be in accordance with Councils Section 94 Policy applicable at the time of payment prior to the issue of the Construction Certificate.

DA323

This approval shall expire if the development hereby permitted is not commenced within 2 years of the date hereof or any extension of such period which Council may allow in writing on an application made before such an expiry.

Reasons for going against staff recommendations:

1. New garage is not inconsistent with the previous approval
2. Demolition of existing garage will improve backyard amenity and improve streetscape for James Street
3. Internal change will improve amenity and have no effect on heritage listing
4. Conditions address the privacy issues.

For the Amendment: Councillors Morrison and Norek

Against the Amendment: Councillors Evans, Hay, Heasman, Lambert, Murphy, Pedersen and Macdonald

The Amendment was declared **LOST** and the Motion was put.

Councillor Aird was not in the Chamber when the voting took place.

L5/08 **RESOLVED:** **(Macdonald / Lambert)**

That Development Application No. 227/07 for demolition of existing garage and alterations and additions to an existing dwelling incorporating excavation for a garage, terrace, swimming pool, fencing and landscaping at 14 Camera Street Manly be **APPROVED** subject to standard conditions and non standard Conditions as follows:-

DA1

This approval relates to drawings/plans Nos. 01 – 10 dated 1 June 2006 and received by Council on the 26 June 2007 and LPDA 08-44/1 and 44/2 dated July 2007 and received by Council on the 14 August 2007.

ANS01

The proposed French doors leading off the living room are not approved and are to be deleted, the existing bay window to be retained.

ANS02

The proposed terrace above the garage is to be lowered by 450mm.

ANS03

The eastern window to the kitchen is to be opaque glass and fixed, with ventilation derived from the sky-light.

ANS04

Submit to Council for approval prior to the issue of the Construction Certificate the colour swatches for the repainting of external finishes and identify their location on the elevations of the dwelling.

DA009

The construction of a vehicular footpath crossing is required. The design and construction including allowable width shall be in accordance with the current Policy of Council and Specification for the Construction of Vehicle Crossings. All works shall be carried out prior to the

issue of Occupation Certificate.

DA010

Separate application to Council for the construction of a Vehicular Crossing for the design, specification and inspection by Council. The design and construction including allowable width shall be in accordance with the current Policy of Council and Specification for the Construction of Vehicle Crossings. Applications shall be made a minimum of twenty-eight (28) days prior to commencement of proposed works on Council's property.

DA011

All surplus vehicular crossings and/or kerb laybacks shall be removed and the kerb and nature strip reinstated prior to issue of the Occupation Certificate.

DA012

The driveway/access ramp grades, access and car parking facilities shall comply with the Australian Standard for Off-Street Parking AS2890.1-2004 or later editions.

DA013

A long section of the driveway shall be submitted with the Construction Certificate Application. The long section is to be drawn at a scale of 1:20 and shall include measured lengths and Relative Levels (RL) of the road centreline, kerb, road reserve, pavement within property and garage floor. The RLs shall include the existing levels and the designed levels.

DA014

No portion of the proposed building or works, including gates and doors during opening and closing operations are to encroach upon any road reserve or other public land.

DA016

Pursuant to Section 97 of the Local Government Act, 1993, Council requires, prior to issue of the Construction Certificate, or commencement of any excavation and demolition works, payment of a Trust Fund Deposit of \$5,000. The deposit is required as security of compliance with Conditions of Consent, and as security against damage to Council property during works on the site.

Note: Should Council property adjoining the site be defective eg, cracked footpath, broken kerb etc., this shall be reported in writing to Council, at least 7 days prior to the commencement of any work on site.

Note: Where Council is not the principal certifying authority, refund of the trust fund deposit will also be dependent upon receipt of a final occupation certificate by the Principal Certifying Authority and infrastructure inspection by Council.

DA017

No obstruction shall be caused to pedestrian use of Council's footpath or vehicular use of any public roadway during construction.

DA341

Any heritage listed stone kerb removed for construction of a driveway or other approved works, is to be removed without damaging it and contact is to be made with Councils Works Manager on Telephone 9976 1455 for the stone to be transported to Councils Depot.

DA342

Separate application shall be made to Council's Infrastructure Division for approval to complete, to Council's standards and specifications, works on Council property. This shall include vehicular crossings, footpaths, drainage works, kerb and guttering, brick paving, restorations and any miscellaneous works. Applications shall be made a minimum of twenty-eight (28) days prior to commencement of proposed works on Council's property. Applicant to notify Council at least 48 hrs before commencement of works to allow Council to supervise/inspect works.

DA343

Any adjustment to the public utility service is to be carried out in compliance with their standards and the full cost is to be borne by the applicant.

DA018

Details of the builder's name and licence number contracted to undertake the works shall be provided to Council/Accredited Certifier prior to issue of the Construction Certificate.

DA019

Insurance must be undertaken with the contracted builder in accordance with the Home Building Act, 1997. Evidence of Insurance together with the contracted builders name and licence number must be submitted to Council /Accredited Certifier prior to issue of the Construction Certificate.

DA021

Toilet facilities are to be provided at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 person or part of 20 persons employed at the site, by effecting either a permanent or temporary connection to the Sydney Water's sewerage system or by approved closets.

DA022

Retaining walls being constructed in conjunction with excavations with such work being in accordance with structural engineer's details. Certification of compliance with the structural detail during construction shall be submitted to the Principal Certifying Authority.

DA023

No person shall use or occupy the building or alteration which is the subject of this approval without the prior issue of an Occupation Certificate.

DA024

A sign must be erected on the subject site in a prominent position stating that unauthorised entry is prohibited and giving details of the name of the builder or the person responsible for the site and 24 hour contact details. The sign is to have dimensions of approximately 500mm x 400mm. Note: The sign is not required if the building on the site is to remain occupied during the course of the building works.

DA031

Consent given to build in close proximity to the allotment boundary is in no way to be construed as permission to build on or encroach over the allotment boundary. Your attention is directed to the provisions of the Dividing Fences Act which gives certain rights to adjoining owners, including use of the common boundary. In the absence of the structure standing well clear of the common boundary, it is recommended that you make yourself aware of your legal position which may involve a survey to identify the allotment boundary.

DA039

Four (4) certified copies of the Structural Engineer's details in respect of all reinforced concrete, structural steel support construction and any proposed retaining walls shall be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA040

Where any excavation extends below the level of the base of the footing of a building on an adjoining allotment of land, the person causing the excavation shall support the neighbouring building in accordance with the requirements of the Building Code of Australia.

DA044

The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material properly graded and drained and waterproofed in accordance with AS3740. Certification is to be provided to the Principal Certifying Authority from a licenced

applicator prior to the fixing of any wall or floor tiles.

DA047

A suitable sub-surface drainage system being provided adjacent to all excavated areas and such drains being connected to an approved disposal system.

DA048

The implementation of adequate care during demolition/ excavation/ building/ construction to ensure that no damage is caused to any adjoining properties.

DA058

An adequate security fence, is to be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence is to be maintained in a state of good repair and condition until completion of the building project.

DA357

Four (4) copies of Architectural Drawings consistent with the development consent and associated specifications are to be submitted to Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA109

All demolition is to be carried out in accordance with AS2601-2001.

DA111

Asbestos cement sheeting must be removed in accordance with the requirements of the WorkCover Authority.

DA087

A detailed stormwater management plan shall be prepared to fully comply with Council's "Specification for on-site Stormwater Management 2003" and shall be submitted with the Construction Certificate application. The stormwater management plan shall be prepared by a suitably qualified Engineer. The principal Council/Accredited Certifier shall ensure that the design complies with the above said specification prior to the issue of a Construction Certificate

DA121

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

DA126

An automatic fire detection and alarm system shall be installed in the proposed dwelling in accordance with the requirements of Part 3.7.2 of the Building Code of Australia 1996 - Housing Provisions.

DA230

No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.

DA236

Landscaping is to be carried out in accordance with the approved Landscape Plan submitted in conjunction with the Development Application. Evidence of an agreement for the maintenance of all plants for a period of 12 months from the date of practical completion of the building is to be provided to the Principal Certifying Authority prior to issue of the Final Occupation Certificate.

DA237

All healthy trees and shrubs identified for retention on the plan must be:

- (v) Suitably marked before any development starts and be suitably protected from damage during the construction process; and

- (vi) Retained unless their location or condition is likely to cause damage and their removal has been approved by Council.

DA238

All disturbed surfaces on the land resulting from the building works authorised by this approval shall be revegetated and stabilised so as to prevent any erosion either on or adjacent to the land.

DA239

The felling, lopping, topping, ringbarking, wilful destruction or removal of any tree or trees unless in conformity with this approval or subsequent approval is prohibited.

DA240

No tree other than on land identified for the construction of buildings and works as shown on the building plan shall be felled, lopped, topped, ringbarked or otherwise wilfully destroyed or removed without the approval of Council.

DA348

Precautions shall be taken when working near trees to be retained including the following: - do not store harmful or bulk materials or spoil under or near trees - prevent damage to bark and root system - do not use mechanical methods to excavate within root zones - do not add or remove topsoil from under the drip line - do not compact ground under the drip line.

DA261

A sediment/erosion control plan for the site shall be submitted for approval to the Council/Accredited Certifier **prior to the issue of the Construction Certificate**. Implementation of the scheme shall be completed prior to commencement of any works on the site and maintained until completion of the development.

DA269

A Construction Certificate Application is required to be submitted to and issued by the Council/Accredited Certifier prior to any building works being carried out on site.

DA270

Should you appoint Council as the Principal Certifying Authority (PCA) to undertake inspections during the course of construction then the following inspection/certification are required:

Silt control fences

Footing inspection - trench and steel

Reinforced concrete slab X 2

Framework inspection

Wet area moisture barrier

Drainage inspection

Swimming pool reinforcing steel inspection

Swimming pool safety fence inspection

Final inspection

The cost of these inspections by Council is \$2,300 (being \$230 per inspection inclusive of GST). **Payment of the above amount is required prior to the first inspection.** Inspection appointments can be made by contacting the Environmental Services Division on 9976 1414.

At least 24 hours notice should be given for a request for an inspection and submission of the relevant inspection card. Any additional inspection required as a result of incomplete works will incur a fee of \$110.

DA271

An Occupation Certificate is to be issued by the Principal Certifying Authority prior to occupation of the development.

DA279

All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.

DA283

De-watering from the excavation or construction site must comply with the Protection of the Environment Operations Act 1997 and the following:

- a) Ground water or other water to be pumped from the site into Council's stormwater system must be sampled and analysed by a NATA certified laboratory or Manly council for compliance with ANZECC Water Quality Guidelines
- b) If tested by NATA certified laboratory, the certificate of analysis issued by the laboratory must be forwarded to Manly Council as the appropriate regulatory authority under the Protection of the Environment Operations Act 1997, prior to the commencement of de-watering activities.
- c) Council will grant approval to commence site de-watering to the stormwater based on the water quality results received.
- d) It is the responsibility of the applicant to ensure that during de-watering activities, the capacity of the stormwater system is not exceeded, that there are no issues associated with erosion or scouring due to the volume of water pumped.
- e) Turbidity readings must not at any time exceed the ANZECC recommended 50ppm (parts per million) for receiving waters.
- f) Also the developer must contact the Department of Infrastructure, Planning and Natural Resources and comply with any of their requirements.

DA332

The capacity and effectiveness of erosion and sediment control devices must be maintained to Council satisfaction at all times.

DA333

A copy of the Soil and Water Management Plan must be kept on-site at all times and made available to Council officers on request.

DA334

Stockpiles are not permitted to be stored on Council property (including nature strip) unless prior approval has been granted.

DA335

Stockpiles of topsoil, sand, aggregate, spoil or other material shall be stored clear of any drainage line or easement, natural watercourse, kerb or road surface.

DA336

Drains, gutters, roadways and access ways shall be maintained free of sediment and to the satisfaction of Council. Where required, gutters and roadways shall be swept regularly to maintain them free from sediment.

DA337

Building operations such as brickcutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.

DA338

All disturbed areas shall be stabilised against erosion to Council satisfaction within 14 days of

completion, and prior to removal of sediment controls.

DA339

Stormwater from roof areas shall be linked via a temporary downpipe to a Council approved stormwater disposal system immediately after completion of the roof area. Inspection of the building frame will not be made until this is completed to Council satisfaction.

DA340

The applicant and/or builder must prior to the commencement of work, install at the periphery of the site, measures to control sedimentation and the possible erosion of the land. The measures must include:-

- (vii) siltation fencing;
- (viii) protection of the public stormwater system; and
- (ix) site entry construction to prevent vehicles that enter and leave the site from tracking loose material onto the adjoining public place.

DA289

Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public Holidays and Sundays. Non-offensive works where power operated plant is not used and including setting out, surveying, plumbing, electrical installation, tiling, internal timber or fibrous plaster fixing, glazing, cleaning down brickwork, painting, building or site cleaning by hand shovel and site landscaping, is permitted between the hours of 1.00pm to 4.00pm Saturdays. Note: That the Protection of the Environment Operations Act 1997 may preclude the operation of some equipment on site during these permitted working hours.

DA300

All waste waters and overflow waters from any swimming pool shall be disposed of to the sewer in accordance with the requirements of Sydney Water.

DA301

The filter pump and motor shall be suitably housed and located as to reduce the possibility of noise nuisance to adjoining or nearby residents.

DA302

An approved Resuscitation Notice is to be erected in a prominent position in the immediate vicinity of the swimming pool and kept current at all times.

DA303

The swimming pool is to be surrounded by a child-resistant barrier in accordance with the swimming Pools Act and Regulations 1992 which: (a) separates the swimming pool from any residential building situated on the property and from any place adjoining the property; and (b) is designed, constructed, installed and maintained in accordance with the standards prescribed by the Regulations and appropriate Australian Standard.

DA306

All surface waters from areas surrounding the swimming pool shall be collected and disposed of to the stormwater system.

DA314

All protective fencing and gates are to be in accordance with Australian Standard 1926 prior to the pool being filled with water. The fence is to be a minimum of 1200mm in height and posts and/or supports are to be firmly fixed or encased in such a way that the posts/support are unable to be removed easily. The fence is not to be removed or altered at any time without the express approval of Council having been obtained beforehand.

DA315

The proposed pool gates are to be mounted so that:- (i) They are clear of any obstruction that could hold the gate open; (ii) When lifted upward or pulled downward, movement of the gate does not release the latching device, unhinge the gate or provide a ground clearance greater than 100mm; and (iii) They open outwards from the pool.

DA316

Where the latching device release, or the latch itself, on a pool gate is located at a height less than 1500mm above the finished ground level, the latch and its release shall be shielded in accordance with Australian Standard 1926.

DA318

There is to be no noise emitted from any process carried on within the premises that will register more than 5 decibels above the background noise at any point more than 3m outside the premises.

DA319

Details of the method of termite protection which will provide whole of building protection, inclusive of structural and nonstructural elements, shall be submitted to the Council/Accredited Certifier prior to issue of the Construction Certificate. Attention is drawn to the provisions of Australian Standard 3660.1 "Protection of Buildings from Subterranean Termites New Buildings" and to Council's Code for the "Protection of Buildings Against Termite Attack".

DA320

Prior to issue of the Occupation Certificate, a durable termite protection notice shall be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".

DA274

Payment of contributions in accordance with Section 94 of the Environmental Planning and Assessment Act, 1979, may be required for this development. If required the amount will be in accordance with Council's Section 94 Policy applicable at the time of payment prior to the issue of the Construction Certificate.

DA323

This approval shall expire if the development hereby permitted is not commenced within 2 years of the date hereof or any extension of such period which Council may allow in writing on an application made before such an expiry.

Reasons for going against staff recommendations:

1. New garage is not inconsistent with the previous approval
2. Demolition of existing garage will improve backyard amenity and improve streetscape for James Street
3. Internal change will improve amenity and have no effect on heritage listing
4. Conditions address the privacy issues.

For the Resolution: Councillors Evans, Hay, Heasman, Lambert, Morrison, Murphy, Norek, Pedersen and Macdonald

Against the Resolution: Nil.

Councillor Aird was not in the Chamber when the voting took place.

Environmental Services Division Report No. 3

19 Edgecliffe Esplanade, Seaforth - DA264/07 (da264/07)

<u>Application Lodged:</u>	27 July 2007
<u>Applicant:</u>	Lifestyle Home Additions
<u>Owner:</u>	Edwina Bollen
<u>Estimated Cost:</u>	\$280,000
<u>Zoning:</u>	Manly Local Environmental Plan, 1988 – Residential; Manly Residential Development Control Plan 2007; Sub Zone 7 and within the Foreshore Scenic Protection Area
<u>Surrounding Development:</u>	Residential dwellings
<u>Heritage:</u>	Not applicable

SUMMARY:

1. DEVELOPMENT CONSENT IS SOUGHT FOR ALTERATIONS AND ADDITIONS TO AN EXISTING DWELLING INCLUDING CHANGING THE ROOF LINE FROM A GABLED ROOF TO A PARAPET ROOF, INCREASING WALL HEIGHTS AND ADDITIONAL ROOMS ADDED TO THE SPACES GAINED BY THE CHANGES IN WALLS AND ROOFING.
2. THE PROPOSAL WAS NOTIFIED TO ALL NEIGHBOURING PROPERTIES AND THREE (3) LETTER OF OBJECTION RECEIVED.
3. THE APPLICATION WAS REFERRED TOT THE SEAFORTH PRECINCT COMMUNITY FORUM AND COMMENTS RECEIVED.
4. THE PROPOSAL WAS REFERRED TO COUNCIL'S DEVELOPMENT ASSESSMENT UNIT MEETING OF 22 NOVEMBER 2007 WITH A RECOMMENDATION FOR REFUSAL.
5. THE APPLICATION WAS REFERRED TO COUNCILS ORDINARY MEETING OF 10 DECEMBER 2007 AT THE REQUEST OF COUNCILLOR MORRISON.
6. COUNCIL RESOLVED TO DEFER THE APPLICATION TO ALLOW FOR CERTIFICATION OF HEIGHT PROFILES AND SHADOW DIAGRAMS. THE RESOLUTION ALSO STATES THE DA WILL INCORPORATE THE FOLLOWING CHANGES – REDUCTION OF THE SOUTHWARD EXTENT OF ADDITION TO BEDROOM 3 BY 50% AND DELETION OF THE WEST WINDOW IN BEDROOM 3.
7. THE APPLICANT HAS SUBMITTED THE REQUIRED CERTIFICATION.
8. A SITE INSPECTION IS RECOMMENDED.
9. THE APPLICATION IS RECOMMENDED FOR REFUSAL.

PUBLIC ADDRESSES

The following persons addressed the meeting in relation to this item:

Against the Recommendation: Mr Helmut Yu

In Support of the Recommendation: Mr Robert Hill

SITE INSPECTIONS

A site inspection of DA264/07, 19 Edgecliffe Esplanade, Seaforth - alterations and additions to an existing dwelling including changing the roof line from a gabled roof to a parapet roof, increasing wall heights and additional rooms added to the spaces gained by the changes in walls and roofing, was conducted by Councillors: J Evans, J Hay, J Lambert, P Macdonald and R Morrison.

Recommendation: Approval subject to standard conditions and non standard Conditions ANS01 and ANS02 as follows:-

ANS01

The southern extent of the proposed addition to Bedroom 3 is to be reduced by 50% to reduce the

apparent bulk and scale of the building and reduce impacts on the amenity of adjoining and nearby property owners, plans being suitably amended prior to the issue of the Construction Certificate

ANS02

The western window of Bedroom 3 is to be deleted to reduce impacts on the amenity of the adjoining property to the west, plans being suitably amended prior to the issue of the Construction Certificate.

Note: Staff to identify extent of any increase in Floor Space Ratio.

Staff Comment: The proposal as conditioned will result in a floor area increase of 0.8m² above that currently existing with no appreciable increase in Floor Space Ratio (existing 0.595:1, proposed 0.596:1).

MOTION (Morrison / Hay)

That Development Application No. 264/04 for alterations and additions to an existing dwelling at 19 Edgecliffe Esplanade, Seaforth be **APPROVED** subject to standard conditions and non standard Conditions as follows:-

DA1

This approval relates to drawings/plans Nos. DA01 – DA04 dated July 2007 and received by Council on the 27 July 2007.

ANS01

The southern extent of the proposed addition to Bedroom 3 is to be reduced by 50% to reduce the apparent bulk and scale of the building and reduce impacts on the amenity of adjoining and nearby property owners, plans being suitably amended prior to the issue of the Construction Certificate

ANS02

The western window of Bedroom 3 is to be deleted to reduce impacts on the amenity of the adjoining property to the west, plans being suitably amended prior to the issue of the Construction Certificate.

ANS03

The free standing downpipe shown on elevations adjacent to the balcony off the Master Bedroom is not approved and is to be deleted from the plans prior to the issue of the Construction Certificate.

DA016

Pursuant to Section 97 of the Local Government Act, 1993, Council requires, prior to issue of the Construction Certificate, or commencement of any excavation and demolition works, payment of a Trust Fund Deposit of \$7,500. The deposit is required as security of compliance with Conditions of Consent, and as security against damage to Council property during works on the site.

Note: Should Council property adjoining the site be defective eg, cracked footpath, broken kerb etc., this shall be reported in writing to Council, at least 7 days prior to the commencement of any work on site.

Note: Where Council is not the principal certifying authority, refund of the trust fund deposit will also be dependent upon receipt of a final occupation certificate by the Principal Certifying Authority and infrastructure inspection by Council.

DA017

No obstruction shall be caused to pedestrian use of Council's footpath or vehicular use of any public roadway during construction.

DA342

Separate application shall be made to Council's Infrastructure Division for approval to complete, to Council's standards and specifications, works on Council property. This shall include vehicular crossings, footpaths, drainage works, kerb and guttering, brick paving, restorations and any miscellaneous works. Applications shall be made a minimum of twenty-eight (28) days prior to commencement of proposed works on Council's property. Applicant to notify Council at least 48 hrs before commencement of works to allow Council to supervise/inspect works.

DA343

Any adjustment to the public utility service is to be carried out in compliance with their standards and the full cost is to be borne by the applicant.

DA018

Details of the builder's name and licence number contracted to undertake the works shall be provided to Council/Accredited Certifier prior to issue of the Construction Certificate.

DA019

Insurance must be undertaken with the contracted builder in accordance with the Home Building Act, 1997. Evidence of Insurance together with the contracted builders name and licence number must be submitted to Council /Accredited Certifier prior to issue of the Construction Certificate.

DA021

Toilet facilities are to be provided at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 person or part of 20 persons employed at the site, by effecting either a permanent or temporary connection to the Sydney Water's sewerage system or by approved closets.

DA023

No person shall use or occupy the building or alteration which is the subject of this approval without the prior issue of an Occupation Certificate.

DA024

A sign must be erected on the subject site in a prominent position stating that unauthorised entry is prohibited and giving details of the name of the builder or the person responsible for the site and 24 hour contact details. The sign is to have dimensions of approximately 500mm x 400mm. Note: The sign is not required if the building on the site is to remain occupied during the course of the building works.

DA026

All construction works shall be strictly in accordance with the Reduced Levels (RLs) as shown on the approved plans with certification being submitted to the Principal Certifying Authority during construction from a registered surveyor certifying ground and finished ridge levels.

DA031

Consent given to build in close proximity to the allotment boundary is in no way to be construed as permission to build on or encroach over the allotment boundary. Your attention is directed to the provisions of the Dividing Fences Act which gives certain rights to adjoining owners, including use of the common boundary. In the absence of the structure standing well clear of the common boundary, it is recommended that you make yourself aware of your legal position which may involve a survey to identify the allotment boundary.

DA039

Four (4) certified copies of the Structural Engineer's details in respect of all reinforced concrete, structural steel support construction and any proposed retaining walls shall be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA040

Where any excavation extends below the level of the base of the footing of a building on an adjoining allotment of land, the person causing the excavation shall support the neighbouring building in accordance with the requirements of the Building Code of Australia.

DA044

The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material properly graded and drained and waterproofed in accordance with AS3740. Certification is to be provided to the Principal Certifying Authority from a licenced applicator prior to the fixing of any wall or floor tiles.

DA048

The implementation of adequate care during demolition/ excavation/ building/ construction to ensure that no damage is caused to any adjoining properties.

DA058

An adequate security fence, is to be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence is to be maintained in a state of good repair and condition until completion of the building project.

DA357

Four (4) copies of Architectural Drawings consistent with the development consent and associated specifications are to be submitted to Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA109

All demolition is to be carried out in accordance with AS2601-2001.

DA111

Asbestos cement sheeting must be removed in accordance with the requirements of the WorkCover Authority.

DA087

A detailed stormwater management plan shall be prepared to fully comply with Council's "Specification for on-site Stormwater Management 2003" and shall be submitted with the Construction Certificate application. The stormwater management plan shall be prepared by a suitably qualified Engineer. The principal Council/Accredited Certifier shall ensure that the design complies with the above said specification prior to the issue of a Construction Certificate

DA230

No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.

DA121

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

DA261

A sediment/erosion control plan for the site shall be submitted for approval to the Council/Accredited Certifier **prior to the issue of the Construction Certificate**. Implementation of the scheme shall be completed prior to commencement of any works on the site and maintained until completion of the development.

DA269

A Construction Certificate Application is required to be submitted to and issued by the Council/Accredited Certifier prior to any building works being carried out on site.

DA270

Should you appoint Council as the Principal Certifying Authority (PCA) to undertake inspections during the course of construction then the following inspection/certification are required:

Silt control fences
Footing inspection - trench and steel
Framework inspection
Wet area moisture barrier
Final inspection

The cost of these inspections by Council is \$1,150 (being \$230 per inspection inclusive of GST). **Payment of the above amount is required prior to the first inspection.** Inspection appointments can be made by contacting the Environmental Services Division on 9976 1414. At least 24 hours notice should be given for a request for an inspection and submission of the relevant inspection card. Any additional inspection required as a result of incomplete works will incur a fee of \$110.

DA271

An Occupation Certificate is to be issued by the Principal Certifying Authority prior to occupation of the development.

DA285

Roof and framing including provision for tie downs, bracing and fixings are to be designed by a practising Structural Engineer. The Engineer is to specify appropriate wind category relating to the site terrain, house design and height of the structure, with details being submitted to the Principal Certifying Authority prior to the commencement of framework.

DA332

The capacity and effectiveness of erosion and sediment control devices must be maintained to Council satisfaction at all times.

DA337

Building operations such as brickcutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.

DA340

The applicant and/or builder must prior to the commencement of work, install at the periphery of the site, measures to control sedimentation and the possible erosion of the land. The measures must include:-

- (i) siltation fencing;
- (ii) protection of the public stormwater system; and
- (iii) site entry construction to prevent vehicles that enter and leave the site from tracking loose material onto the adjoining public place.

DA285

Roof and framing including provision for tie downs, bracing and fixings are to be designed by a practising Structural Engineer. The Engineer is to specify appropriate wind category relating to the site terrain, house design and height of the structure, with details being submitted to the Principal Certifying Authority **prior to the commencement of framework.**

DA289

Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public Holidays and Sundays. Non-offensive works where power operated plant is not used and including setting out, surveying, plumbing, electrical installation, tiling, internal timber or fibrous plaster fixing, glazing, cleaning down brickwork, painting, building or site cleaning by hand shovel and site

landscaping, is permitted between the hours of 1.00pm to 4.00pm Saturdays. Note: That the Protection of the Environment Operations Act 1997 may preclude the operation of some equipment on site during these permitted working hours.

DA302

An approved Resuscitation Notice is to be erected in a prominent position in the immediate vicinity of the swimming pool and kept current at all times.

DA303

The swimming pool is to be surrounded by a child-resistant barrier in accordance with the swimming Pools Act and Regulations 1992 which: (a) separates the swimming pool from any residential building situated on the property and from any place adjoining the property; and (b) is designed, constructed, installed and maintained in accordance with the standards prescribed by the Regulations and appropriate Australian Standard.

DA314

All protective fencing and gates are to be in accordance with Australian Standard 1926 prior to the pool being filled with water. The fence is to be a minimum of 1200mm in height and posts and/or supports are to be firmly fixed or encased in such a way that the posts/support are unable to be removed easily. The fence is not to be removed or altered at any time without the express approval of Council having been obtained beforehand.

DA319

Details of the method of termite protection which will provide whole of building protection, inclusive of structural and nonstructural elements, shall be submitted to the Council/Accredited Certifier prior to issue of the Construction Certificate. Attention is drawn to the provisions of Australian Standard 3660.1 "Protection of Buildings from Subterranean Termites New Buildings" and to Council's Code for the "Protection of Buildings Against Termite Attack".

DA320

Prior to issue of the Occupation Certificate, a durable termite protection notice shall be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".

DA274

Payment of contributions in accordance with Section 94 of the Environmental Planning and Assessment Act, 1979, may be required for this development. If required the amount will be in accordance with Council's Section 94 Policy applicable at the time of payment prior to the issue of the Construction Certificate.

DA323

This approval shall expire if the development hereby permitted is not commenced within 2 years of the date hereof or any extension of such period which Council may allow in writing on an application made before such an expiry.

Reasons for going against staff recommendation:

1. The building is substantially the same FSR as the existing building, and the bulk of the building has been reduced looking from neighbouring properties, and so the very small increase in FSR is justified.
2. The streetscape is improved by the building.
3. Existing sightlines from buildings across the road are increased by the lowering of the building.

L6/08 RESOLVED: (Morrison / Hay)

That Development Application No. 264/04 for alterations and additions to an existing dwelling at 19 Edgecliffe Esplanade, Seaforth be **APPROVED** subject to standard conditions and non standard Conditions as follows:-

DA1

This approval relates to drawings/plans Nos. DA01 – DA04 dated July 2007 and received by Council on the 27 July 2007.

ANS01

The southern extent of the proposed addition to Bedroom 3 is to be reduced by 50% to reduce the apparent bulk and scale of the building and reduce impacts on the amenity of adjoining and nearby property owners, plans being suitable amended prior to the issue of the Construction Certificate

ANS02

The western window of Bedroom 3 is to be deleted to reduce impacts on the amenity of the adjoining property to the west, plans being suitably amended prior to the issue of the Construction Certificate.

ANS03

The free standing downpipe shown on elevations adjacent to the balcony off the Master Bedroom is not approved and is to be deleted from the plans prior to the issue of the Construction Certificate.

DA016

Pursuant to Section 97 of the Local Government Act, 1993, Council requires, prior to issue of the Construction Certificate, or commencement of any excavation and demolition works, payment of a Trust Fund Deposit of \$7,500. The deposit is required as security of compliance with Conditions of Consent, and as security against damage to Council property during works on the site.

Note: Should Council property adjoining the site be defective eg, cracked footpath, broken kerb etc., this shall be reported in writing to Council, at least 7 days prior to the commencement of any work on site.

Note: Where Council is not the principal certifying authority, refund of the trust fund deposit will also be dependent upon receipt of a final occupation certificate by the Principal Certifying Authority and infrastructure inspection by Council.

DA017

No obstruction shall be caused to pedestrian use of Council's footpath or vehicular use of any public roadway during construction.

DA342

Separate application shall be made to Council's Infrastructure Division for approval to complete, to Council's standards and specifications, works on Council property. This shall include vehicular crossings, footpaths, drainage works, kerb and guttering, brick paving, restorations and any miscellaneous works. Applications shall be made a minimum of twenty-eight (28) days prior to commencement of proposed works on Council's property. Applicant to notify Council at least 48 hrs before commencement of works to allow Council to supervise/inspect works.

DA343

Any adjustment to the public utility service is to be carried out in compliance with their standards and the full cost is to be borne by the applicant.

DA018

Details of the builder's name and licence number contracted to undertake the works shall be

provided to Council/Accredited Certifier prior to issue of the Construction Certificate.

DA019

Insurance must be undertaken with the contracted builder in accordance with the Home Building Act, 1997. Evidence of Insurance together with the contracted builders name and licence number must be submitted to Council /Accredited Certifier prior to issue of the Construction Certificate.

DA021

Toilet facilities are to be provided at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 person or part of 20 persons employed at the site, by effecting either a permanent or temporary connection to the Sydney Water's sewerage system or by approved closets.

DA023

No person shall use or occupy the building or alteration which is the subject of this approval without the prior issue of an Occupation Certificate.

DA024

A sign must be erected on the subject site in a prominent position stating that unauthorised entry is prohibited and giving details of the name of the builder or the person responsible for the site and 24 hour contact details. The sign is to have dimensions of approximately 500mm x 400mm. Note: The sign is not required if the building on the site is to remain occupied during the course of the building works.

DA026

All construction works shall be strictly in accordance with the Reduced Levels (RLs) as shown on the approved plans with certification being submitted to the Principal Certifying Authority during construction from a registered surveyor certifying ground and finished ridge levels.

DA031

Consent given to build in close proximity to the allotment boundary is in no way to be construed as permission to build on or encroach over the allotment boundary. Your attention is directed to the provisions of the Dividing Fences Act which gives certain rights to adjoining owners, including use of the common boundary. In the absence of the structure standing well clear of the common boundary, it is recommended that you make yourself aware of your legal position which may involve a survey to identify the allotment boundary.

DA039

Four (4) certified copies of the Structural Engineer's details in respect of all reinforced concrete, structural steel support construction and any proposed retaining walls shall be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA040

Where any excavation extends below the level of the base of the footing of a building on an adjoining allotment of land, the person causing the excavation shall support the neighbouring building in accordance with the requirements of the Building Code of Australia.

DA044

The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material properly graded and drained and waterproofed in accordance with AS3740. Certification is to be provided to the Principal Certifying Authority from a licenced applicator prior to the fixing of any wall or floor tiles.

DA048

The implementation of adequate care during demolition/ excavation/ building/ construction to ensure that no damage is caused to any adjoining properties.

DA058

An adequate security fence, is to be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence is to be maintained in a state of good repair and condition until completion of the building project.

DA357

Four (4) copies of Architectural Drawings consistent with the development consent and associated specifications are to be submitted to Council/Accredited Certifier prior to the issue of the Construction Certificate.

DA109

All demolition is to be carried out in accordance with AS2601-2001.

DA111

Asbestos cement sheeting must be removed in accordance with the requirements of the WorkCover Authority.

DA087

A detailed stormwater management plan shall be prepared to fully comply with Council's "Specification for on-site Stormwater Management 2003" and shall be submitted with the Construction Certificate application. The stormwater management plan shall be prepared by a suitably qualified Engineer. The principal Council/Accredited Certifier shall ensure that the design complies with the above said specification prior to the issue of a Construction Certificate

DA230

No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.

DA121

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

DA261

A sediment/erosion control plan for the site shall be submitted for approval to the Council/Accredited Certifier **prior to the issue of the Construction Certificate**. Implementation of the scheme shall be completed prior to commencement of any works on the site and maintained until completion of the development.

DA269

A Construction Certificate Application is required to be submitted to and issued by the Council/Accredited Certifier prior to any building works being carried out on site.

DA270

Should you appoint Council as the Principal Certifying Authority (PCA) to undertake inspections during the course of construction then the following inspection/certification are required:

Silt control fences

Footing inspection - trench and steel

Framework inspection

Wet area moisture barrier

Final inspection

The cost of these inspections by Council is \$1,150 (being \$230 per inspection inclusive of GST). **Payment of the above amount is required prior to the first inspection.** Inspection appointments can be made by contacting the Environmental Services Division on 9976 1414.

At least 24 hours notice should be given for a request for an inspection and submission of the

relevant inspection card. Any additional inspection required as a result of incomplete works will incur a fee of \$110.

DA271

An Occupation Certificate is to be issued by the Principal Certifying Authority prior to occupation of the development.

DA285

Roof and framing including provision for tie downs, bracing and fixings are to be designed by a practising Structural Engineer. The Engineer is to specify appropriate wind category relating to the site terrain, house design and height of the structure, with details being submitted to the Principal Certifying Authority prior to the commencement of framework.

DA332

The capacity and effectiveness of erosion and sediment control devices must be maintained to Council satisfaction at all times.

DA337

Building operations such as brickcutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.

DA340

The applicant and/or builder must prior to the commencement of work, install at the periphery of the site, measures to control sedimentation and the possible erosion of the land. The measures must include:-

- (iv) siltation fencing;
- (v) protection of the public stormwater system; and
- (vi) site entry construction to prevent vehicles that enter and leave the site from tracking loose material onto the adjoining public place.

DA285

Roof and framing including provision for tie downs, bracing and fixings are to be designed by a practising Structural Engineer. The Engineer is to specify appropriate wind category relating to the site terrain, house design and height of the structure, with details being submitted to the Principal Certifying Authority **prior to the commencement of framework**.

DA289

Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public Holidays and Sundays. Non-offensive works where power operated plant is not used and including setting out, surveying, plumbing, electrical installation, tiling, internal timber or fibrous plaster fixing, glazing, cleaning down brickwork, painting, building or site cleaning by hand shovel and site landscaping, is permitted between the hours of 1.00pm to 4.00pm Saturdays. Note: That the Protection of the Environment Operations Act 1997 may preclude the operation of some equipment on site during these permitted working hours.

DA302

An approved Resuscitation Notice is to be erected in a prominent position in the immediate vicinity of the swimming pool and kept current at all times.

DA303

The swimming pool is to be surrounded by a child-resistant barrier in accordance with the swimming Pools Act and Regulations 1992 which: (a) separates the swimming pool from any residential building situated on the property and from any place adjoining the property; and (b) is designed, constructed, installed and maintained in accordance with the standards prescribed by the Regulations and appropriate Australian Standard.

DA314

All protective fencing and gates are to be in accordance with Australian Standard 1926 prior to the pool being filled with water. The fence is to be a minimum of 1200mm in height and posts and/or supports are to be firmly fixed or encased in such a way that the posts/support are unable to be removed easily. The fence is not to be removed or altered at any time without the express approval of Council having been obtained beforehand.

DA319

Details of the method of termite protection which will provide whole of building protection, inclusive of structural and nonstructural elements, shall be submitted to the Council/Accredited Certifier prior to issue of the Construction Certificate. Attention is drawn to the provisions of Australian Standard 3660.1 "Protection of Buildings from Subterranean Termites New Buildings" and to Council's Code for the "Protection of Buildings Against Termite Attack".

DA320

Prior to issue of the Occupation Certificate, a durable termite protection notice shall be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".

DA274

Payment of contributions in accordance with Section 94 of the Environmental Planning and Assessment Act, 1979, may be required for this development. If required the amount will be in accordance with Council's Section 94 Policy applicable at the time of payment prior to the issue of the Construction Certificate.

DA323

This approval shall expire if the development hereby permitted is not commenced within 2 years of the date hereof or any extension of such period which Council may allow in writing on an application made before such an expiry.

Reasons for going against staff recommendation:

1. The building is substantially the same FSR as the existing building, and the bulk of the building has been reduced looking from neighbouring properties, and so the very small increase in FSR is justified.
2. The streetscape is improved by the building.
3. Existing sightlines from buildings across the road are increased by the lowering of the building.

For the Resolution: Councillors Aird, Evans, Hay, Heasman, Lambert, Morrison, Murphy, Norek, Pedersen and Macdonald

Against the Resolution: Nil.

RESUMPTION OF STANDING ORDERS (Evans / Macdonald)

That Standing Orders be resumed.

L7/08 **RESOLVED: (Evans / Macdonald)**

That Standing Orders be resumed.

For the Resolution: Councillors Aird, Evans, Hay, Heasman, Lambert, Morrison, Murphy, Norek, Pedersen and Macdonald

Against the Resolution: Nil.

PLANNING AND STRATEGY DIVISION

Planning And Strategy Division Report No. 2

Nos. 17 and 1 Roseberry Street Balgowlah - Rezoning Application**SUMMARY**

This report deals with an application by UrbisJHD on behalf of Woolworths Ltd, to amend Manly Local Environmental Plan 1988 (LEP) to permit a supermarket on Nos. 17 and 31 Roseberry Street, Balgowlah. It recommends that Council act to exhibit a draft LEP amendment in relation to the proposal, which would make a supermarket an additional use in the Industrial Zone for the subject site. The report recommends that the Council resolve to prepare the draft amendment for exhibition.

MOTION (Macdonald / Heasman)

That Council resolve:

1. To prepare a draft amendment to Manly Local Environmental Plan 1988 under the provisions of section 54 of the *Environmental Planning and Assessment Act 1979* to permit a supermarket at 17 and 31 Roseberry Street, Balgowlah; and
2. To request that the Director General issue Council a certificate certifying that the draft Plan may be publicly exhibited in accordance with section 66 of the Act, pursuant to section 64 of the *Environmental Planning and Assessment Act 1979*.
3. That once the Director General's Certification is received, Council undertake a comprehensive notification and consultation process in regard to the proposed rezoning.

AMENDMENT (Morrison / Murphy)

That Council resolve to refuse the application by UrbisJHD on behalf of Woolworths Ltd, to amend Manly Local Environmental Plan 1988 (LEP) to permit a supermarket on Nos. 17 and 31 Roseberry Street, Balgowlah.

For the Amendment: Councillors Morrison and Murphy**Against the Amendment:** Councillors Aird, Evans, Hay, Heasman, Lambert, Norek, Pedersen and MacdonaldThe Amendment was declared **LOST** and the Motion was put.L8/08 **RESOLVED: (Macdonald / Heasman)**

That Council resolve:

1. To prepare a draft amendment to Manly Local Environmental Plan 1988 under the provisions of section 54 of the *Environmental Planning and Assessment Act 1979* to permit a supermarket at 17 and 31 Roseberry Street, Balgowlah; and
2. To request that the Director General issue Council a certificate certifying that the draft Plan may be publicly exhibited in accordance with section 66 of the Act, pursuant to section 64 of the *Environmental Planning and Assessment Act 1979*.
3. That once the Director General's Certification is received, Council undertake a comprehensive notification and consultation process in regard to the proposed rezoning.

For the Resolution: Councillors Aird, Evans, Hay, Heasman, Lambert, Norek, Pedersen and Macdonald
Against the Resolution: Councillors Morrison and Murphy

ENVIRONMENTAL SERVICES DIVISION

Environmental Services Division Report No. 4

Development Applications being processed during February 2008.

SUMMARY

Development Applications being processed during February 2008.

MOTION (Macdonald / Lambert)

That development applications currently being processed during February 2008 be noted.

L9/08 **RESOLVED: (Macdonald / Lambert)**

That development applications currently being processed during February 2008 be noted.

For the Resolution: Councillors Aird, Evans, Hay, Heasman, Lambert, Morrison, Murphy, Norek, Pedersen and Macdonald
Against the Resolution: Nil.

Environmental Services Division Report No. 5

Appeals List for February 2008

SUMMARY

List of Appeals received and their current status for Councillors' information.

MOTION (Macdonald / Lambert)

That the List of Appeals received for February 2008 and their current status be noted.

L10/08 **RESOLVED: (Macdonald / Lambert)**

That the List of Appeals received for February 2008 and their current status be noted.

For the Resolution: Councillors Aird, Evans, Hay, Heasman, Lambert, Morrison, Murphy, Norek, Pedersen and Macdonald
Against the Resolution: Nil.

CLOSE

The meeting closed at 10.24pm.

The above minutes were confirmed at a **Land Use Management Committee** of Manly Council held on 3rd March 2008.

CHAIRPERSON

***** END OF MINUTES *****